

# EUROPEAN PRICE LIST

# 20 22

## **APRIL 1<sup>ST</sup>**

**Recommended price list without VAT.**

\* This price list supersedes previous ones.

## **1 ABRIL**

**Precios recomendados venta público sin IVA.**

\* Esta tarifa anula las anteriores.

## **1. APRIL**

**Die Preise verstehen sich zzgl.  
der gesetzlich gültigen mwst.**

\* Diese Preisliste ersetzt die alte.

## **1 AVRIL**

**Prix publics conseillés hors taxes.**

\* Ce tarif annule et remplace les précédents.

## **1 APRILE**

**Prezzo consigliato senza IVA.**

Questo listino annullano gli precedenti.

Due to constant changes in LED technology, please check our web for current product specifications.

Lumens on LED's indicate the lumen output without diffuser.

Debido a los constantes cambios en la tecnología LED, por favor visite nuestra web para conocer las especificaciones actuales.

Los lúmenes indicados son de salida, sin difusor.

[www.estiluz.com](http://www.estiluz.com)

# estiluz®

**ALPHABETIC INDEX / ÍNDICE ALFABÉTICO**

<b>A</b>		<b>M</b>	
Alfi .....	04	Maine .....	38
Aro .....	07	Morse .....	39
Asana .....	09		
<b>B</b>		<b>N</b>	
Balloon .....	10	Nèbula .....	39
Bent .....	10	Nit .....	40
Bols .....	11		
Button .....	13	<b>O</b>	
		Obs .....	40
<b>C</b>		<b>P</b>	
Canut .....	15	Pila .....	41
Carpet .....	15	Piu .....	41
Circ .....	15	Pluma .....	41
Cornet .....	25		
Cupolina .....	26	<b>R</b>	
Cyls .....	27	Revolta .....	41
<b>E</b>		<b>S</b>	
Eclipsi .....	29	Siso .....	46
		Smile .....	46
<b>F</b>		<b>V</b>	
Flow .....	29	Volta .....	48
Folio .....	31		
Frame .....	31		
<b>G</b>			
Gada .....	33		
<b>I</b>			
Icons .....	34		
Iris .....	35		
<b>L</b>			
Laverd .....	36	Drivers, Replacements and Canopies .....	54
Luck .....	37	General terms of sale .....	61
Lune .....	38		

## FINISHES / ACABADOS

20 GLD M	Gold matt lacquer / Lacado Oro mate
21 GLD	24 Carat gold / Oro 24q
22 CH	Polished chrome / Cromo
23 BLK P	Black Pearl / Perla negro
26 BLK	Black matt / Negro mate
27 WH	White satin, RAL 9002 / Blanco satinado, RAL 9002
36 BR	Bronze / Bronce
37 NI	Brushed nickel / Níquel
44 CP	Satin copper / Cobre satinado
45 CP M	Copper matt lacquer / Lacado Cobre mate
46 M GN	Moss Green, RAL 6005 / Verde musgo, RAL 6005
47 NI M	Nickel matt / Níquel mate
47 L NI M	Nickel matt lacquer/ Lacado níquel mate
55 BG	Beige, RAL 1019 / Beige, RAL 1019
56 BLK	Black matt / Negro mate
59 TC	Terracotta NCS S 4030-Y80R / Terracota NCS S 4030-Y80R
61 S GLD	24 carat satin gold / Oro 24 q. Satinado
64 BLK L	Black lacquered, glossy / Negro lacado brillante
71 WH	White satin, RAL 9002 / Blanco lacado satinado, RAL 9002
74 WH	White satin, RAL 9002 / Blanco lacado satinado, RAL 9002
78 OX RD	Oxide Red, RAL 3009 / Rojo óxido, RAL 3009
80 RT	Rust / Óxido
85 CN	Cinder / Ceniza
92 MNK	Mink / Visón
93 GR LM	Grey-limestone, RAL 7013 / Gris pardo, RAL 7013
96 BLK ANT	Black anthracite RAL 7021 / Negro antracita RAL 7021
XX	Code according to colour / Código según color

## SHADES / PANTALLAS

26 BLK	Black screen / Screen negro
27 WH	White screen / Screen blanco
38 GR	Grey screen / Screen gris
50 MM	Marble textured vinyl / Vinilo texturizado Mármol
51 CT	Concrete textured vinyl / Vinilo texturizado Hormigón
52 WD	Wood textured vinyl / Vinilo texturizado Madera
64 BLK L	Black acrylic, glossy / Metacrilato negro brillante



## ACCESSORIES / ACCESORIOS

00 PLAIN	Incoloro / Colourless
23 GR F	Grey fumé / Gris fumé
26 BLK	Black / Negro
55 BG	Beige, RAL 1019 / Beige, RAL 1019
65 BR F	Bronze fumé / Bronce fumé
74 WH	White / Blanco
82 BL	Blue / Azul
83 EGP	Eggplant / Berenjena
84 SLM	Salmon / Salmón

## ABBREVIATIONS / ABREVIATURAS

A	Wall sconce / Aplique
M	Table lamp / Lámpara de sobremesa
P	Floor lamp / Lámpara de pie
p	Reading lamp / Pie de lectura
T	Suspension / Suspensión
t	Ceiling lamp / Plafón

## SYMBOLS / SÍMBOLOS


*	Bulbs included / Bombillas incluidas
	Dimmer on the lamp / Regulador integrado
	Secondary bulb / Bombilla secundaria

We can customize our products in any ESTILUZ finish. Check availability.

Podemos personalizar nuestros productos en cualquier acabado ESTILUZ. Compruebe la disponibilidad

**ALFI**

**A-3740S / t-3740S - WITH SURFACE CANOPY**



**FEATURES / CARACTERÍSTICAS**

\* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 100V -240V / Typ 350 lumens  
Driver included / Non dimmable

**FINISHES / ACABADOS**

26 BLK  
20 GLD M


**EURO €**

216  
223

**Product includes:**

- 1 unit of A-3740J or t-3740J
- 1 plain glass shade 113741000

**A-3740R / t-3740R - WITH RECESSED CANOPY**



**FEATURES / CARACTERÍSTICAS**

\* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 120V -240V / Typ 350 lumens  
Remote driver included / Dimmable Triac

**FINISHES / ACABADOS**


26 BLK  
20 GLD M

**EURO €**

232  
239


**Product includes:**

- 1 unit of A-3740 or t-3740
- 1 remote driver 671000061 / Dimmable Triac
- 1 plain glass shade 113741000

 Ø45 mm drill on dry wall  
Orificio Ø45 mm en pared de pladur

**ALFI**

**A-3740AS / t-3740AS - WITH SURFACE CANOPY**



**FEATURES / CARACTERÍSTICAS**

\* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 100V -240V / Typ 350 lumens  
Driver included / Non dimmable

**FINISHES / ACABADOS**

26 BLK  
20 GLD M


**EURO €**

254  
267

**Product includes:**

- 1 unit of A-3740J or t-3740J
- 1 glass shade with cap 113741XX0

**A-3740AR / t-3740AR - WITH RECESSED CANOPY**



**FEATURES / CARACTERÍSTICAS**

\* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 120V -240V / Typ 350 lumens  
Remote driver included / Dimmable Triac

**FINISHES / ACABADOS**


26 BLK  
20 GLD M

**EURO €**

270  
283


**Product includes:**

- 1 unit of A-3740 or t-3740
- 1 remote driver 671000061 / Dimmable Triac
- 1 glass shade with cap 113741XX0

 Ø45 mm drill on dry wall  
Orificio Ø45 mm en pared de pladur

**ALFI**

**A-3740A1S - WITH SURFACE CANOPY**



**FEATURES / CARACTERÍSTICAS**

\* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 100V -240V / Typ 350 lumens  
Driver included / Non dimmable

**FINISHES / ACABADOS**

26 BLK  
20 GLD M


**EURO €**

254  
267

**Product includes:**

- 1 unit of A-3740J or t-3740J
- 1 glass shade with cap at 45° 113741XX1

**A-3740A1R - WITH RECESSED CANOPY**



**FEATURES / CARACTERÍSTICAS**

\* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 120V -240V / Typ 350 lumens  
Remote driver included / Dimmable Triac

**FINISHES / ACABADOS**


26 BLK  
20 GLD M

**EURO €**

270  
283


**Product includes:**

- 1 unit of A-3740
- 1 remote driver 671000061 / Dimmable Triac
- 1 glass shade with cap at 45° 113741XX1

 Ø45 mm drill on dry wall  
Orificio Ø45 mm en pared de pladur

## ALFI

## A-3741 - WITH RECESSED CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 3W (2700K / Ang. 120° / >90 CRI / 350mA)  
120V - 240V / Typ 350 lumens  
Remote driver included / Dimmable Triac

## FINISHES / ACABADOS

26 BLK  
20 GLD M

## EURO €

381  
391

## Product includes:

- 1 unit of A-3741
- 1 remote driver 671000061 / Dimmable Triac
- 1 glass shade with cap at 45° 113741XX1




Ø45 mm drill on dry wall  
Orificio Ø45 mm en pared de pladur

Minimum order 13 units  
Pedido mínimo 13 unidades


## ALFI

## T-3744S - WITH SURFACE CANOPY

## T-3744S



## T-3744R



## FEATURES / CARACTERÍSTICAS

\* LED 3W (2700K / Ang. 120° / >90 CRI / 350mA)  
100V - 240V / Typ 350 lumens  
Driver included / Non dimmable

## FINISHES / ACABADOS

26 BLK  
20 GLD M

## EURO €

340  
350

## Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3744 with textile cable
- 1 driver 671000038 / Non Dimmable
- 1 plain glass shade 113741000

## T-3744R - WITH RECESSED CANOPY

## FEATURES / CARACTERÍSTICAS

\* LED 3W (2700K / Ang. 120° / >90 CRI / 350mA)  
230V / Typ 350 lumens  
Remote driver included / Dimmable Triac

## FINISHES / ACABADOS

26 BLK  
20 GLD M

## EURO €

339  
350

## Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3744 with textile cable
- 1 remote driver 671000062 / Dimmable Triac
- 1 plain glass shade 113741000




Ø60 mm drill on dropped ceiling  
Orificio Ø60 mm en falso techo


## ALFI

## T-3744AS - WITH SURFACE CANOPY

## T-3744AS



## T-3744AR



## FEATURES / CARACTERÍSTICAS

\* LED 3W (2700K / Ang. 120° / >90 CRI / 350mA)  
100V - 240V / Typ 350 lumens  
Driver included / Non dimmable

## FINISHES / ACABADOS

26 BLK  
20 GLD M

## EURO €

378  
394

## Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3744 with textile cable
- 1 driver 671000038 / Non Dimmable
- 1 glass shade with cap 113741XX0

## T-3744AR - WITH RECESSED CANOPY

## FEATURES / CARACTERÍSTICAS

\* LED 3W (2700K / Ang. 120° / >90 CRI / 350mA)  
230V / Typ 350 lumens  
Remote driver included / Dimmable Triac

## FINISHES / ACABADOS

26 BLK  
20 GLD M

## EURO €

377  
394

## Product includes:


- 1 recessed canopy 113534XX2
- 1 unit of T-3744 with textile cable
- 1 remote driver 671000062 / Dimmable Triac
- 1 glass shade with cap 113741XX0



Ø60 mm drill on dropped ceiling  
Orificio Ø60 mm en falso techo

**ALFI**

**L92S.4 - WITH SURFACE CANOPY**



**FEATURES / CARACTERÍSTICAS**

\* LED 4x3W [2700K / Ang. 120° / >90 CRI 24V] / 100V - 277V / Typ 4x300 lumens  
Driver included / Dimmable 0-10V

**FINISHES / ACABADOS**

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
20 GLD M

**EURO €**


1265  
1297

**Product includes:**

- 1 single canopy 113415XX3
- 4 units of T-3744 with textile cable
- 1 driver 671000049 / Dimmable 0-10V
- 4 plain glass shades 113741000

**ALFI**

**R40S.3A - WITH SURFACE CANOPY**



**FEATURES / CARACTERÍSTICAS**

\* LED 3x3W [2700K / Ang. 120° / >90 CRI 24V] / 100V - 277V / Typ 3x300 lumens  
Driver included / Dimmable 0-10V

**FINISHES / ACABADOS**

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
20 GLD M

**EURO €**


1500  
1542

**Product includes:**

- 1 single canopy 113415XX6
- 3 units of T-3744 with textile cable
- 1 driver 671000049 / Dimmable 0-10V
- 3 glass shades with cap 113741XX0

**ALFI**

**p-3748**



**FEATURES / CARACTERÍSTICAS**


\* LED 3x3W [2700K / Ang. 120° / >90 CRI / 24V] 230V / Typ 3x300 lumens  
On/Off cord switch

**FINISHES / ACABADOS**

26 BLK  
20 GLD M


**EURO €**

1105  
1184



**ALFI**

**L120S.6**



**FEATURES / CARACTERÍSTICAS**

\* LED 6x3W [2700K / Ang. 120° / >90 CRI / 24V] 100V - 277V / Typ 6x300 lumens  
Dimmable 0-10V

**FINISHES / ACABADOS**


26 BLK  
20 GLD M

**EURO €**

2042  
2101

**Product includes:**

- 1 linear canopy 113743XX7
- 1 stem 652mm 113743XX1
- 3 stems 812mm 113743XX2
- 2 stems 972mm 113743XX3
- 6 plain glass shades 113741000
- 1 driver 671000049 / Dimmable 0-10V



**FEATURES / CARACTERÍSTICAS**

\* LED 6x3W [2700K / Ang. 120° / >90 CRI / 24V] 100V - 277V / Typ 6x300 lumens  
Dimmable 0-10V

**FINISHES / ACABADOS**

26 BLK  
20 GLD M

**EURO €**


2270  
2365

**Product includes:**

- 1 linear canopy 113743XX7
- 1 stem 652mm 113743XX1
- 3 stems 812mm 113743XX2
- 2 stems 972mm 113743XX3
- 6 glass shades with cap 113741XX0
- 1 driver 671000049 / Dimmable 0-10V

## ALFI

## F120.6



## FEATURES / CARACTERÍSTICAS

\* LED 6x3W (2700K / Ang. 120° / >90 CRI / 24V)  
100V - 277V / Typ 6x300 lumens  
Dimmable 0-10V / Hard wired (no plug)

## FINISHES / ACABADOS

26 BLK  
20 GLD M

## EURO €

2048  
2121

## Product includes:

- 1 linear canopy 113743XX8
- 1 stem 652mm 113743XX1
- 3 stems 812mm 113743XX2
- 2 stems 972mm 113743XX3
- 6 plain glass shades 113741000
- 1 driver 671000049 / Dimmable 0-10V


## 123749260 KIT F120

Cord & plug with on/off switch. 230V. 2500mm cable length.  
Cable y enchufe con interruptor. 230V. 2500mm de longitud.

## EURO €

53

## F120.6A



## FEATURES / CARACTERÍSTICAS

\* LED 6x3W (2700K / Ang. 120° / >90 CRI / 24V)  
100V - 277V / Typ 6x300 lumens  
Dimmable 0-10V / Hard wired (no plug)

## FINISHES / ACABADOS

26 BLK  
20 GLD M

## EURO €

2276  
2385

## Product includes:

- 1 linear canopy 113743XX8
- 1 stem 652mm 113743XX1
- 3 stems 812mm 113743XX2
- 2 stems 972mm 113743XX3
- 6 glass shades with cap 113741XX0
- 1 driver 671000049 / Dimmable 0-10V

## 123749260 KIT F120


Cord & plug with on/off switch. 230V. 2500mm cable length.  
Cable y enchufe con interruptor. 230V. 2500mm de longitud.

## EURO €

53

## ARO

## T-3541S - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 3x10W (2700K / Ang. 85° / >90 CRI / 24V)  
100V - 277V / Typ 3x1106 lumens  
Driver included / Dimmable 0-10V

## FINISHES / ACABADOS

Canopy: 26 BLK - 71WH  
Body: 56 BLK


## EURO €

1282

## Product includes:

- 1 surface canopy 113541XX2
- 1 unit of T-3541
- 1 driver 671000049 / Dimmable 0-10V

## T-3541R - WITH RECESSED CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 3x10W (2700K / Ang. 85° / >90 CRI / 24V)  
100V - 277V / Typ 3x1106 lumens  
Driver included / Dimmable 0-10V

## FINISHES / ACABADOS


Canopy: 26 BLK - 71WH  
Body: 56 BLK

## EURO €

1209



## Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3541
- 1 remote driver 671000049 / Dimmable 0-10V

 Ø 85mm drill on dropped ceiling  
Orificio Ø 85mm en falso techo

**ARO**

**T-3542**



**FEATURES / CARACTERÍSTICAS**

\* LED 5x10W (2700K / Ang. 85° / >90 CRI / 24V)  
100V - 277V / Typ 5x1106 lumens  
Driver included / Dimmable 0-10V

**FINISHES / ACABADOS**



56 BLK

**EURO €**

2460

**Product includes:**

- 1 round canopy 113542263
- 1 unit of T-3542



**123815262 Vegetation kit**

Vegetation kit with artificial greenery included. Not waterproof.  
Maximum 30kg

**FINISHES / ACABADOS**



26 BLK

**EURO €**

2041

**ARO**

**T-3543**



**FEATURES / CARACTERÍSTICAS**

\* LED 7x10W (2700K / Ang. 85° / >90 CRI / 24V)  
100V - 277V / Typ 7x1106 lumens  
Driver included / Dimmable 0-10V

**FINISHES / ACABADOS**



56 BLK

**EURO €**

3163

**Product includes:**

- 1 round canopy 113542263
- 1 unit of T-3543



**123815262 Vegetation kit**

Vegetation kit with artificial greenery included. Not waterproof.  
Maximum 30kg

**FINISHES / ACABADOS**



26 BLK

**EURO €**

2041

**ARO**

**R40S.1M1L**



**Composition includes:**

- 1 round canopy 113542263
- 1 unit of T-3542
- 1 unit of T-3543
- 2 drivers / Dimmable 0-10V

**FINISHES / ACABADOS**

56 BLK

**EURO €**

5223



**ASANA**

**P-3768**



**FEATURES / CARACTERÍSTICAS**

\* LED 10,7W (2700K / Ang. 120° / >80 CRI / 24V)  
100V - 240V / Universal plug  
Typ 1068 lumens / Touch dimmer

**FINISHES / ACABADOS**




Body: 92 MNK  
Stem: 61 S GLD  
93 GR LM

**EURO €**


1064  
1042

**Product includes:**

- 1 unit of P-3768
- 1 stem 113768XX0




**TABLE KIT**  
123768922



**FINISHES / ACABADO**  
92 MNK

**EURO €**  
134

**LECTERN KIT**  
123768923



**FINISHES / ACABADO**  
92 MNK

**EURO €**  
107

**ASANA**

**P-3769**



**FEATURES / CARACTERÍSTICAS**

\* LED 2x5,35W (2700K / Ang. 120° / >80 CRI  
24V) / 100V - 240V / Universal plug  
Typ 2x535 lumens / Touch dimmer

**FINISHES / ACABADOS**




Body: 92 MNK  
Stem: 61 S GLD  
93 GR LM

**EURO €**


1029  
1007

**Product includes:**

- 1 unit of P-3769
- 1 stem 113768XX0




**TABLE KIT**  
123768922



**FINISHES / ACABADO**  
92 MNK

**EURO €**  
134

**LECTERN KIT**  
123768923




**FINISHES / ACABADO**  
92 MNK

**EURO €**  
107

**BALLOON**

**A-3050**



**FEATURES / CARACTERÍSTICAS**  
LED up to 20W / E27 / 120V - 240V  
On/Off Switch

**FINISHES / ACABADO**  
74 WH

**EURO €**  
262

**A-3050L**

**FEATURES / CARACTERÍSTICAS**  
LED up to 20W / E27 / 120V - 240V


**FINISHES / ACABADO**  
74 WH

**EURO €**  
323

⊕ \* LED 0,5W / E14 / 120V - 240V  
Nightlight / 3-way switch

**BALLOON**

**t-3052**




**FEATURES / CARACTERÍSTICAS**  
LED up to 20W  
E27 / 120V - 240V  
Dimmable when using dim. lamps

**FINISHES / ACABADO**  
74 WH

**EURO €**  
259

**BALLOON**

**T-3055S**



**FEATURES / CARACTERÍSTICAS**  
LED up to 20W  
E27 / 120V - 240V  
Dimmable when using dim. lamps

**FINISHES / ACABADO**  
74 WH


**EURO €**  
332

**Product includes:**

- 1 single canopy 113416710
- 1 unit of T-3055C with textile cable
- 1 ceiling holder

**BALLOON**

**R40S.3 - WITH SURFACE CANOPY**




**Composition includes:**  
• 1 round canopy 113415XX6  
• 3 units of T-3055C with textile cable

**FINISHES / ACABADOS**  
71 WH

**EURO €**  
1389

**BENT**

**t-2752L**



**FEATURES / CARACTERÍSTICAS**  
\* LED 15W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 1245 lumens  
Dimmable Triac


**FINISHES / ACABADOS**  
37 NI  
22 CH

**EURO €**  
379  
379

Available until end of stock  
Disponibile hasta agotar existencias

**BOLS**

**t-4022X - OUTDOOR**



**IP**  
65


**FEATURES / CARACTERÍSTICAS**  
\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

**FINISHES / ACABADOS**  
55 BG  
78 OX RED  
96 BLK ANT

**EURO €**  
941  
941  
941

**BOLS**

**t-4023X - OUTDOOR**



**IP**  
65


**FEATURES / CARACTERÍSTICAS**  
\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

**FINISHES / ACABADOS**  
55 BG  
78 OX RED  
96 BLK ANT

**EURO €**  
1038  
1038  
1038

**BOLS**

**T-4024X - OUTDOOR**



**IP**  
65


**FEATURES / CARACTERÍSTICAS**  
\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

**FINISHES / ACABADOS**  
55 BG  
78 OX RED  
96 BLK ANT

**EURO €**  
1045  
1045  
1045

**BOLS**

**T-4025X - OUTDOOR**



**IP**  
65


**FEATURES / CARACTERÍSTICAS**  
\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

**FINISHES / ACABADOS**  
55 BG  
78 OX RED  
96 BLK ANT

**EURO €**  
1143  
1143  
1143

## BOLS

### P-4027X - OUTDOOR



IP  
65

#### FEATURES / CARACTERÍSTICAS

\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

#### FINISHES / ACABADOS


55 BG  
78 OX RED  
96 BLK ANT

#### EURO €

1077  
1077  
1077

#### TABLE KIT

124027XX2  
Polypropylene flower  
pot + metal table top



#### FINISHES / ACABADOS


55 BG  
78 OX RED  
96 BLK ANT

#### EURO €

87  
87  
87

#### FLOWER POT KIT

124027XX3  
Polypropylene flower pot  
for natural vegetation



#### FINISHES / ACABADOS


55 BG  
78 OX RED  
96 BLK ANT

#### EURO €

47  
47  
47

#### VEGETATION KIT

124027XX7  
Artificial greenery



#### FINISHES / ACABADOS


55 BG  
78 OX RED  
96 BLK ANT

#### EURO €

594  
594  
594

#### BOLT DOWN FLOOR BASE KIT KIT ANCLAJE A SUELO

124027XX6  
Metal base



#### FINISHES / ACABADOS


55 BG  
78 OX RED  
96 BLK ANT

#### EURO €

99  
99  
99

## BOLS

### P-4028X - OUTDOOR



IP  
65

#### FEATURES / CARACTERÍSTICAS

\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

#### FINISHES / ACABADOS


55 BG  
78 OX RED  
96 BLK ANT

#### EURO €

1000  
1000  
1000

#### TABLE KIT

124028XX2  
Polypropylene flower  
pot + metal table top



#### FINISHES / ACABADOS


55 BG  
78 OX RED  
96 BLK ANT

#### EURO €

112  
112  
112

#### FLOWER POT SET

Ø160mm  
124028XX4  
Includes 3 flower pots + tray



#### FINISHES / ACABADOS


55 BG  
78 OX RED  
96 BLK ANT

#### EURO €

60  
60  
60

#### FLOWER POT SET

Ø180mm  
124028XX5  
Includes 3 flower pots + tray



#### FINISHES / ACABADOS


55 BG  
78 OX RED  
96 BLK ANT

#### EURO €

64  
64  
64

#### VEGETATION KIT

124028XX7  
Artificial greenery



#### FINISHES / ACABADOS


55 BG  
78 OX RED  
96 BLK ANT

#### EURO €

820  
820  
820

#### BOLT DOWN FLOOR BASE KIT KIT ANCLAJE A SUELO

124027XX6  
Metal base




#### FINISHES / ACABADOS

55 BG  
78 OX RED  
96 BLK ANT

#### EURO €

99  
99  
99

**BUTTON**
**T-3302S - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 9W (3000K / Ang. 45° / >90 CRI  
350mA) / 100V - 240V / Typ 1096 lumens  
Driver included / Non dimmable

**FINISHES / ACABADOS**


26 BLK  
71 WH  
93 GR LM

**EURO €**

446  
446  
467

**Product includes:**

- 1 single canopy 113302XX1
- 1 unit of T-3302 with metal rigid stem
- 1 driver 671000023 / Non Dimmable

**T-3302R - WITH RECESSED CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 9W (3000K / Ang. 45° / >90 CRI  
350mA) / 230V / Typ 1096 lumens  
Driver included / Dimmable Triac

**FINISHES / ACABADOS**

26 BLK  
71 WH  
93 GR LM


**EURO €**

417  
417  
434

**Product includes:**

- 1 recessed canopy 113534XX2
- 1 unit of T-3302 with metal rigid stem
- 1 driver 671000061 / Dimmable Triac

Ø 45mm drill on dropped ceiling  
Orificio Ø 45mm en falso techo

**T-3302CS - WITH SURFACE CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 9W (3000K / Ang. 45° / >90 CRI  
350mA) / 100V - 240V / Typ 1096 lumens  
Driver included / Non dimmable

**FINISHES / ACABADOS**


26 BLK  
71 WH  
93 GR LM

**EURO €**

418  
418  
438

**Product includes:**

- 1 single canopy 113302XX1
- 1 unit of T-3302C with cable
- 1 driver 671000023 / Non Dimmable

**T-3302CR - WITH RECESSED CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 9W (3000K / Ang. 45° / >90 CRI  
350mA) / 230V / Typ 1096 lumens  
Driver included / Dimmable Triac

**FINISHES / ACABADOS**


26 BLK  
71 WH  
93 GR LM

**EURO €**

389  
389  
405

**Product includes:**

- 1 recessed canopy 113534XX2
- 1 unit of T-3302C with cable
- 1 driver 671000061 / Dimmable Triac


**REMOTE DRIVER T-3302R / T-3302CR - 671000023**

(Max. 1x10W) / 100V - 240V / Non dimmable

**EURO €**

32


**REMOTE DRIVER T-3302R / T-3302CR - 671000061**

(Max. 1x10W) / 230V / Dimmable Triac

**EURO €**

38

Ø 50mm drill on dropped ceiling / Orificio Ø 50mm en falso techo

**BUTTON**
**L92S.3 - WITH SURFACE CANOPY**

**Composition includes:**

- 1 linear canopy 113415XX3
- 3 units of T-3302C with cable
- 3 drivers 671000061 / Dimmable Triac

**FINISHES / ACABADOS**

Canopy: 26 BLK - 71WH  
Body: 26 BLK  
71 WH  
93 GR LM


**EURO €**

1249  
1249  
1297

Up to 4 additional BUTTON can be added  
Posibilidad de añadir hasta 3 BUTTON

**BUTTON**

**T-3305S - WITH SURFACE CANOPY**



**FEATURES / CARACTERÍSTICAS**

\* LED 3x9W (3000K / Ang. 45° / >90 CRI / 24V)  
100V - 240V / Typ 3x1096 lumens  
Sensor dimmer on each head

**Product includes:**

- 1 surface canopy 113924XX0
- 1 driver 671000028
- 1 body T-3305
- 3 heads 113305XX0

**FINISHES / ACABADOS**


Canopy: 26 BLK - 71WH  
Body: 26 BLK  
71 WH  
93 GR LM

**EURO €**

1964  
1964  
2011

**T-3305R - WITH RECESSED CANOPY**



  $\varnothing$  55mm drill  
Orificio  $\varnothing$  55mm

**Product includes:**

- 1 recessed canopy 113534XX2
- 1 driver 671000028
- 1 body T-3305
- 3 heads 113305XX0

**FINISHES / ACABADOS**


Canopy: 26 BLK - 71WH  
Body: 26 BLK  
71 WH  
93 GR LM

**EURO €**

1937  
1937  
1984

**BUTTON**

**T-3306S - WITH SURFACE CANOPY**



**FEATURES / CARACTERÍSTICAS**

\* LED 4x9W (3000K / Ang. 45° / >90 CRI / 24V)  
100V - 240V / Typ 4x1096 lumens  
Sensor dimmer on each head

**Product includes:**

- 1 surface canopy 113924XX0
- 1 driver 671000028
- 1 body T-3306
- 4 heads 113305XX0

**FINISHES / ACABADOS**


Canopy: 26 BLK - 71WH  
Body: 26 BLK  
71 WH  
93 GR LM

**EURO €**

2567  
2567  
2630

**T-3306R - WITH RECESSED CANOPY**



  $\varnothing$  55mm drill  
Orificio  $\varnothing$  55mm

**Product includes:**

- 1 recessed canopy 113534XX2
- 1 remote driver 671000028
- 1 body T-3306
- 4 heads 113305XX0

**FINISHES / ACABADOS**


Canopy: 26 BLK - 71WH  
Body: 26 BLK  
71 WH  
93 GR LM

**EURO €**

2540  
2540  
2603

**BUTTON**

**T-3307S - WITH SURFACE CANOPY**



**FEATURES / CARACTERÍSTICAS**

\* LED 5x9W (3000K / Ang. 45° / >90 CRI / 24V)  
100V - 240V / Typ 5x1096 lumens  
Sensor dimmer on each head

**FINISHES / ACABADOS**

Canopy: 26 BLK - 71WH  
Body: 26 BLK  
71 WH  
93 GR LM

**EURO €**


3261  
3261  
3324

**Product includes:**

- 1 surface canopy 113924XX0
- 1 driver 671000028
- 1 body T-3306
- 1 intermediate section 113306XX0
- 5 heads 113305XX0

**T-3307R - WITH RECESSED CANOPY**



  $\varnothing$  55mm drill  
Orificio  $\varnothing$  55mm

**Product includes:**

- 1 recessed canopy 113534XX2
- 1 driver 671000028
- 1 body T-3306
- 1 intermediate section 113306XX0
- 5 heads 113305XX0

**FINISHES / ACABADOS**


Canopy: 26 BLK - 71WH  
Body: 26 BLK  
71 WH  
93 GR LM

**EURO €**

3234  
3234  
3297

## CANUT

A-3570



## FEATURES / CARACTERÍSTICAS

\* LED 2x3W (2700K / Ang. 50° / >90 CRI / 24V)  
100V - 240V / Typ 2x300 lumens  
Non Dimmable  
2 x On/Off push button switch  
Low ripple

## FINISHES / ACABADOS

47 NI M  
26 BLK  
74 WH


## EURO €

N/A  
N/A  
N/A

Projects only - Minimum 25 units  
Sólo proyectos - Mínimo 25 unidades

## CANUT

A-3571



## FEATURES / CARACTERÍSTICAS

\* LED 3W (3000K / Ang. 50° / >90 CRI  
350mA) / 100V - 240V  
Typ 350 lumens  
Non Dimmable  
On/Off push button switch  
Low ripple

## FINISHES / ACABADOS

47 NI M  
26 BLK  
74 WH


## EURO €

476  
451  
451

⊕ \* LED 1W (3000K / Ang. 120° / >80 CRI / 24V)  
100V - 240V  
Typ 150 lumens  
Non Dimmable

## CARPET

A-2910L



## FEATURES / CARACTERÍSTICAS

\* LED 15W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 1245 lumens  
Dimmable Triac

## FINISHES / ACABADOS

74 WH


## EURO €

N/A

Projects only - Minimum 50 units  
Sólo proyectos - Mínimo 50 unidades

## CARPET

A-2911L



## FEATURES / CARACTERÍSTICAS

\* LED 15W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 1245 lumens  
On / Off Switch

## FINISHES / ACABADOS

74 WH

## EURO €


N/A

Projects only - Minimum 50 units  
Sólo proyectos - Mínimo 50 unidades

⊕ \* LED 3W (2700K / Ang. 120° / >90 CRI  
350mA) / 230V / Typ 350 lumens  
On / Off Switch

## CIRC

A-3702



IP  
44

## FEATURES / CARACTERÍSTICAS

\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

## FINISHES / ACABADOS

23 GR F  
65 BR F

## EURO €


389  
389

## Product includes:

- 1 unit of A-3702
- 1 glass shade kit 113702001

## CIRC

A-3703



IP  
44

## FEATURES / CARACTERÍSTICAS

\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

## FINISHES / ACABADOS

00 PLAIN  
23 GR F

## EURO €


462  
462

## Product includes:

- 1 unit of A-3703
- 1 glass shade kit 113702001

**CIRC**

**A-3706**



IP  
44

**FEATURES / CARACTERÍSTICAS**  
\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

**FINISHES / ACABADOS**  
00 PLAIN

**EURO €**  
507

**Product includes:**  
• 1 unit of A-3706  
• 1 glass shade kit 113702001

**A-3706A - WITH MISTING TREATMENT**

IP  
44

**FEATURES / CARACTERÍSTICAS**  
\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

**FINISHES / ACABADOS**  
00 PLAIN


**EURO €**  
641

**Product includes:**  
• 1 unit of A-3706A  
• 1 glass shade kit 113702001

Mirror with misting treatment  
Espejo con sistema anti vaho

**CIRC**

**T-3714S - WITH SURFACE CANOPY**



**FEATURES / CARACTERÍSTICAS**  
\* LED 6,2W (2700K / Ang. 120°  
>90 CRI / 350mA) / 230V  
Typ 725 lumens  
Driver included / Dimmable Triac  
Glass shade

**FINISHES / ACABADOS**  
Canopy: 26 BLK - 74 WH  
Body: 61 S GLD  
26 BLK

**EURO €**  
469  
423

**Product includes:**  
• 1 surface canopy 113924XX0  
• 1 unit of T-3714  
• 1 driver 671000061 / Dimmable Triac  
• 1 union piece for 2 Circ / 1 pieza unión para 2 Circ

**T-3714R - WITH RECESSED CANOPY**

Ø110 mm  
Ø4.3/8"

**Product includes:**  
• 1 recessed canopy 113534XX2  
• 1 unit of T-3714  
• 1 remote driver 671000061 / Dimmable Triac  
• 1 union piece for 2 Circ / 1 pieza unión para 2 Circ


**FINISHES / ACABADOS**  
Canopy: 26 BLK - 71 WH  
Body: 61 S GLD  
26 BLK

**EURO €**  
442  
396

Ø 50mm drill on dropped ceiling  
Orificio Ø 50mm en falso techo

**CIRC**

**T-3715S - WITH SURFACE CANOPY**



**FEATURES / CARACTERÍSTICAS**  
\* LED 2x6,2W (2700K / Ang. 120°  
>90 CRI / 350mA) / 230V  
Typ 2x725 lumens  
Driver included / Dimmable Triac  
Glass shade

**FINISHES / ACABADOS**  
Canopy: 26 BLK - 74 WH  
Body: 61 S GLD  
26 BLK

**EURO €**  
648  
564

**Product includes:**  
• 1 surface canopy 113924XX0  
• 1 unit of T-3715  
• 1 driver 671000043 / Dimmable Triac  
• 1 union piece for 2 Circ / 1 pieza unión para 2 Circ

**T-3715R - WITH RECESSED CANOPY**

Ø110 mm  
Ø4.3/8"

**Product includes:**  
• 1 recessed canopy 113534XX2  
• 1 unit of T-3715  
• 1 remote driver 671000043 / Dimmable Triac  
• 1 union piece for 2 Circ / 1 pieza unión para 2 Circ

**FINISHES / ACABADOS**  
Canopy: 26 BLK - 71 WH  
Body: 61 S GLD  
26 BLK


**EURO €**  
621  
537

Ø 50mm drill on dropped ceiling  
Orificio Ø 50mm en falso techo



## CIRC

## T-3716S - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 3x6,2W (2700K / Ang. 120°  
>90 CRI / 350mA) / 230V  
Typ 3x725 lumens  
Driver included / Dimmable Triac

Glass shade

## Product includes:

- 1 surface canopy 113924XX0
- 1 unit of T-3716
- 1 driver 671000034 / Dimmable Triac
- 1 union piece for 2 Circ / 1 pieza unión para 2 Circ

## FINISHES / ACABADOS

Canopy: 26 BLK - 74 WH  
Body: 61 S GLD  
26 BLK

## EURO €

994  
857

## T-3716R - WITH RECESSED CANOPY

## Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3716
- 1 remote driver 671000034 / Dimmable Triac
- 1 union piece for 2 Circ / 1 pieza unión para 2 Circ

## FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH  
Body: 61 S GLD  
26 BLK


## EURO €

967  
830

Ø 50mm drill on dropped ceiling  
Orificio Ø 50mm en falso techo

## CIRC

## A-3720 - INDOOR



## FEATURES / CARACTERÍSTICAS

\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac  
Glass shade

## FINISHES / ACABADOS

61 S GLD  
26 BLK

## EURO €

317  
278

## A-3720X - OUTDOOR

IP  
55

## FEATURES / CARACTERÍSTICAS

\* LED 8W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 665 lumens  
Dimmable Triac  
Polyethylene shade

## FINISHES / ACABADOS

80 RT  
26 BLK

## EURO €

317  
299

## Signage - IN &amp; OUT

Optional laser-cut signage  
Minimum order 10 units  
Señalización opcional con láser  
Pedido mínimo 10 unidades

## FINISHES / ACABADOS


71 WH

## EURO €

37

## CIRC

## A-3722 - INDOOR



## FEATURES / CARACTERÍSTICAS

\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac  
Glass shade

## FINISHES / ACABADOS

61 S GLD  
26 BLK

## EURO €

358  
327

## A-3722X - OUTDOOR

IP  
55

## FEATURES / CARACTERÍSTICAS

\* LED 8W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 665 lumens  
Dimmable Triac  
Polyethylene shade

## FINISHES / ACABADOS


80 RT  
26 BLK

## EURO €

341  
323

**CIRC**

**M-3725 - INDOOR**



**FEATURES / CARACTERÍSTICAS**  
 \* LED 8W (2700K / Ang. 120° / >90 CRI)  
 230V / Typ 665 lumens  
 Glass shade  
 On/Off cord switch

**FINISHES / ACABADOS**  
 26 BLK

**EURO €**  
 604

**M-3725X - OUTDOOR**

**IP**  
 55


**FEATURES / CARACTERÍSTICAS**  
 \* LED 8W (2700K / Ang. 120° / >90 CRI)  
 230V / Typ 665 lumens / Dimmable Triac  
 Polyethylene shade

**FINISHES / ACABADOS**  
 26 BLK

**EURO €**  
 689

**CIRC**

**M-3726X - OUTDOOR**



**IP**  
 67

**FEATURES / CARACTERÍSTICAS**  
 \* LED 2,5W (3000K / Ang. 120° / >80 CRI)  
 5200mAh) 230V / Typ 290 lumens  
 Polyethylene shade

**FINISHES / ACABADOS**  
 Indoor & Outdoor: 26 BLK  
 80 RT

**EURO €**  
 292  
 312

**Product includes:**

- 1 unit of M-3726
- 1 charger kit 671000044


Li on battery / Induction charging base / Three position dimming / Remote control  
 Battery charging time 8-10h / Battery life over 6h at maximum brightness

Indoor only: 61 S GLD

**EURO €**  
 303

**CIRC**

**M-3727X - OUTDOOR**



**IP**  
 67

**FEATURES / CARACTERÍSTICAS**  
 \* LED 2,5W (3000K / Ang. 120° / >80 CRI)  
 5200mAh) 230V / Typ 290 lumens  
 Polyethylene shade

**FINISHES / ACABADOS**  
 Indoor & Outdoor: 26 BLK  
 80 RT

**EURO €**  
 337  
 359

**Product includes:**

- 1 unit of M-3727
- 1 charger kit 671000044


Li on battery / Induction charging base / Three position dimming / Remote control  
 Battery charging time 8-10h / Battery life over 6h at maximum brightness

Indoor only: 61 S GLD

**EURO €**  
 373

**CIRC**

**M-3728 - INDOOR**



**FEATURES / CARACTERÍSTICAS**  
 \* LED 8W (2700K / Ang. 120° / >90 CRI)  
 230V / Typ 665 lumens  
 Glass shade  
 On/Off cord switch

**FINISHES / ACABADOS**  
 61 S GLD  
 26 BLK

**EURO €**  
 542  
 432

**M-3728X - OUTDOOR**

**IP**  
 55


**FEATURES / CARACTERÍSTICAS**  
 \* LED 8W (2700K / Ang. 120° / >90 CRI)  
 230V / Typ 665 lumens / Dimmable Triac  
 Polyethylene shade

**FINISHES / ACABADOS**  
 26 BLK  
 80 RT

**EURO €**  
 454  
 473

**CIRC**

**p-3729 - INDOOR**



**FEATURES / CARACTERÍSTICAS**  
 \* LED 8W (2700K / Ang. 120° / >90 CRI)  
 230V / Typ 665 lumens  
 Glass shade  
 On/Off cord switch

**FINISHES / ACABADOS**  
 61 S GLD  
 26 BLK

**EURO €**  
 700  
 533

**p-3729X - OUTDOOR**

**IP**  
 55



**FEATURES / CARACTERÍSTICAS**  
 \* LED 8W (2700K / Ang. 120° / >90 CRI)  
 230V / Typ 665 lumens / Dimmable Triac  
 Polyethylene shade

**FINISHES / ACABADOS**  
 26 BLK  
 80 RT

**EURO €**  
 567  
 588

## CIRC

## t-3810S - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 4x6,2W (2700K / Ang. 120° / >90 CRI  
350mA) 230V / Typ 4x725 lumens  
Driver included / Dimmable Triac  
Glass shade

## FINISHES / ACABADOS

Canopy: 26 BLK  
Ring: 26 BLK  
61 S GLD



## EURO €

1400  
1628

## Product includes:

- 1 round canopy 113815263
- 1 unit of t-3810 + 2 drivers 671000043

## t-3810R - WITH RECESSED CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 4x6,2W (2700K / Ang. 120° / >90 CRI  
350mA) 230V / Typ 4x725 lumens  
Remote driver included / Dimmable Triac  
Glass shade

## FINISHES / ACABADOS


Canopy: 26 BLK  
Ring: 26 BLK  
61 S GLD

## EURO €



1290  
1518

## Product includes:

- 1 round recessed canopy 113820263
- 1 unit of t-3810 + 2 remote drivers 671000043

  
Ø 50mm drill on dropped ceiling  
Orificio Ø 50mm en falso techo

## t-3810AS - WITH SURFACE CANOPY + ACOUSTIC PANEL



## FEATURES / CARACTERÍSTICAS

\* LED 4x6,2W (2700K / Ang. 120° / >90 CRI  
350mA) 230V / Typ 4x725 lumens  
Driver included / Dimmable Triac  
Glass shade / Acoustic panel

## FINISHES / ACABADOS

Canopy: 26 BLK  
Acoustic panel: 26 BLK

## EURO €



1506

## Product includes:

- 1 round canopy 113815263
- 1 unit of t-3810A + 2 drivers 671000043
- 1 acoustic panel 113815264

## CIRC

## t-3811S - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 7x6,2W (2700K / Ang. 120° / >90 CRI  
350mA) 230V / Typ 7x725 lumens  
Dimmable Triac / Glass shade

## FINISHES / ACABADOS

Canopy: 26 BLK  
Ring: 26 BLK  
61 S GLD



## EURO €

2173  
2596

## Product includes:

- 1 round canopy 113815263
- 1 unit of t-3811
- 2 drivers 671000043 + 1 driver 671000034

## t-3811R - WITH RECESSED CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 7x6,2W (2700K / Ang. 120° / >90 CRI  
350mA) 230V / Typ 7x725 lumens  
Remote driver included / Dimmable Triac  
Glass shade

## FINISHES / ACABADOS


Canopy: 26 BLK  
Ring: 26 BLK  
61 S GLD

## EURO €



2063  
2486

## Product includes:

- 1 round recessed canopy 113820263
- 1 unit of t-3811
- 2 remote drivers 671000043 + 1 driver 671000034

  
Ø 50mm drill on dropped ceiling  
Orificio Ø 50mm en falso techo

## t-3811AS - WITH SURFACE CANOPY + ACOUSTIC PANEL



## FEATURES / CARACTERÍSTICAS

\* LED 7x6,2W (2700K / Ang. 120° / >90 CRI  
350mA) 230V / Typ 7x725 lumens  
Driver included / Dimmable Triac  
Glass shade / Acoustic panel

## FINISHES / ACABADOS

Canopy: 26 BLK  
Acoustic panel: 26 BLK

## EURO €



2402

## Product includes:

- 1 round canopy 113815263
- 1 unit of t-3811A
- 2 drivers 671000043 + 1 driver 671000034
- 1 acoustic panel 113816264

**CIRC**

**T-3815S - WITH SURFACE CANOPY**



**FEATURES / CARACTERÍSTICAS**

\* LED 4x6,2W [2700K / Ang. 120° / >90 CRI 350mA] 230V / Typ 4x725 lumens  
Driver included / Dimmable Triac  
Glass shade

**FINISHES / ACABADOS**

Canopy: 26 BLK  
Ring: 26 BLK  
61 S GLD



**EURO €**

1329  
1523

**Product includes:**

- 1 round canopy 113815263
- 1 unit of T-3815 + 2 drivers 671000043

**T-3815R - WITH RECESSED CANOPY**



**FEATURES / CARACTERÍSTICAS**

\* LED 4x6,2W [2700K / Ang. 120° / >90 CRI 350mA] 230V / Typ 4x725 lumens  
Remote driver included / Dimmable Triac  
Glass shade

**FINISHES / ACABADOS**

Canopy: 26 BLK  
Ring: 26 BLK  
61 S GLD

**EURO €**



1219  
1413

**Product includes:**

- 1 round recessed canopy 113820263
- 1 unit of T-3810 + 2 remote drivers 671000043

  $\varnothing$  50mm drill on dropped ceiling  
Orificio  $\varnothing$  50mm en falso techo

**T-3815AS - WITH SURFACE CANOPY + ACOUSTIC PANEL**



**FEATURES / CARACTERÍSTICAS**

\* LED 4x6,2W [2700K / Ang. 120° / >90 CRI 350mA] 230V / Typ 4x725 lumens  
Driver included / Dimmable Triac  
Glass shade / Acoustic panel

**FINISHES / ACABADOS**

Canopy: 26 BLK  
Acoustic panel: 26 BLK

**EURO €**



1438

**Product includes:**

- 1 round canopy 113815263
- 1 unit of T-3815A + 2 drivers 671000043
- 1 acoustic panel 113815264

**CIRC**

**T-3816S - WITH SURFACE CANOPY**



**FEATURES / CARACTERÍSTICAS**

\* LED 7x6,2W [2700K / Ang. 120° / >90 CRI 350mA] 230V / Typ 7x725 lumens  
Dimmable Triac / Glass shade

**FINISHES / ACABADOS**

Canopy: 26 BLK  
Ring: 26 BLK  
61 S GLD



**EURO €**

2047  
2409

**Product includes:**

- 1 round canopy 113815263
- 1 unit of T-3816
- 2 drivers 671000043 + 1 driver 671000034

**T-3816R - WITH RECESSED CANOPY**



**FEATURES / CARACTERÍSTICAS**

\* LED 7x6,2W [2700K / Ang. 120° / >90 CRI 350mA] 230V / Typ 7x725 lumens  
Remote driver included / Dimmable Triac  
Glass shade

**FINISHES / ACABADOS**

Canopy: 26 BLK  
Ring: 26 BLK  
61 S GLD

**EURO €**



1937  
2299

**Product includes:**

- 1 round recessed canopy 113820263
- 1 unit of T-3816
- 2 remote drivers 671000043 + 1 driver 671000034

  $\varnothing$  50mm drill on dropped ceiling  
Orificio  $\varnothing$  50mm en falso techo

**T-3816AS - WITH SURFACE CANOPY + ACOUSTIC PANEL**



**FEATURES / CARACTERÍSTICAS**

\* LED 7x6,2W [2700K / Ang. 120° / >90 CRI 350mA] 230V / Typ 7x725 lumens  
Driver included / Dimmable Triac  
Glass shade / Acoustic panel

**FINISHES / ACABADOS**

Canopy: 26 BLK  
Acoustic panel: 26 BLK

**EURO €**


2282

**Product includes:**

- 1 round canopy 113815263
- 1 unit of T-3816A
- 2 drivers 671000043 + 1 driver 671000034
- 1 acoustic panel 113816264

**CIRC**

**R30.1SP1MP - WITH SURFACE CANOPY**



**Composition includes:**


- 1 round canopy 113815263
- 1 unit of T-3815
- 1 unit of T-3816
- 4 drivers 671000043
- 1 driver 671000034

**FINISHES / ACABADOS**

- Canopy: 26 BLK
- Ring: 26 BLK
- 61 S GLD

**EURO €**

- 3178
- 3734



**R12.1SP1MP - WITH RECESSED CANOPY**

**Composition includes:**


- 1 round recessed canopy 113820263
- 1 unit of T-3815
- 1 unit of T-3816
- 4 remote drivers 671000043
- 1 remote driver 671000034


**FINISHES / ACABADOS**

- Canopy: 26 BLK
- Ring: 26 BLK
- 61 S GLD

**EURO €**

- 3068
- 3624

   
 Ø 50mm drill on dropped ceiling  
 Orificio Ø 50mm en falso techo



**R30.1SPA1MP - WITH SURFACE CANOPY + ACOUSTIC PANEL**

**Composition includes:**

- 1 round canopy 113815263
- 1 unit of T-3815A
- 1 unit of T-3816
- 1 acoustic panel 113815264
- 4 drivers 671000043
- 1 driver 671000034

**FINISHES / ACABADOS**


- Canopy: 26 BLK
- Acoustic panel: 26 BLK
- Ring: 26 BLK
- 61 S GLD

**EURO €**

- 3287
- 3649

**CIRC**

**R30.1MP1VK - WITH SURFACE CANOPY**



**FEATURES / CARACTERÍSTICAS**

\* LED 7x6,2W {2700K / Ang. 120° / >90 CRI 350mA} 230V / Typ 7x725 lumens  
 Driver included / Dimmable Triac  
 Glass shade

**FINISHES / ACABADOS**



- Canopy: 26 BLK
- Ring: 26 BLK
- 61 S GLD

**EURO €**

- 4088
- 4450

**Product includes:**

- 1 round canopy 113815263
- 1 unit of T-3816
- 2 drivers 671000043
- 1 driver 671000034
- 1 vegetation KIT 123815262 with artificial greenery included.
- Not waterproof / Maximum 30kg



**R12.1MP1VK - WITH RECESSED CANOPY**

**FEATURES / CARACTERÍSTICAS**

\* LED 7x6,2W {2700K / Ang. 120° / >90 CRI 350mA} 230V / Typ 7x725 lumens  
 Remote driver included / Dimmable Triac  
 Glass shade

**FINISHES / ACABADOS**


- Canopy: 26 BLK
- Ring: 26 BLK
- 61 S GLD

**EURO €**

- 3978
- 4340


**Product includes:**

- 1 round recessed canopy 113820263
- 1 unit of T-3816
- 2 remote drivers 671000043
- 1 remote driver 671000034
- 1 vegetation KIT 123815262 with artificial greenery included.
- Not waterproof / Maximum 30kg



## CIRC

### t-3820S - WITH SURFACE CANOPY



#### FEATURES / CARACTERÍSTICAS

\* LED 6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 725 lumens  
Driver included / Dimmable Triac  
Glass shade

#### FINISHES / ACABADOS

Canopy: 26 BLK  
Body: 26 BLK


#### EURO €

482

#### Product includes:

- 1 round canopy 113815263
- 1 unit of t-3820C
- 1 driver 671000061

### t-3820R - WITH RECESSED CANOPY



#### FEATURES / CARACTERÍSTICAS

\* LED 6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 725 lumens  
Remote driver included / Dimmable Triac  
Glass shade

#### FINISHES / ACABADOS


Canopy: 26 BLK  
Body: 26 BLK

#### EURO €

372


#### Product includes:

- 1 round recessed canopy 113820263
- 1 unit of t-3820C
- 1 remote driver 671000061

 Ø 45mm drill on dropped ceiling  
Orificio Ø 45mm en falso techo

## CIRC

### t-3821S - WITH SURFACE CANOPY



#### FEATURES / CARACTERÍSTICAS

\* LED 6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 725 lumens  
Driver included / Dimmable Triac  
Glass shade

#### FINISHES / ACABADOS

Canopy: 26 BLK  
Body: 26 BLK


#### EURO €

491

#### Product includes:

- 1 round canopy 113815263
- 1 unit of t-3821C
- 1 driver 671000061

### t-3821R - WITH RECESSED CANOPY



#### FEATURES / CARACTERÍSTICAS

\* LED 6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 725 lumens  
Remote driver included / Dimmable Triac  
Glass shade

#### FINISHES / ACABADOS


Canopy: 26 BLK  
Body: 26 BLK

#### EURO €

381


#### Product includes:

- 1 round recessed canopy 113820263
- 1 unit of t-3821C
- 1 remote driver 671000061

 Ø 45mm drill on dropped ceiling  
Orificio Ø 45mm en falso techo

## CIRC

### R30.1S1M - WITH SURFACE CANOPY



#### Composition includes:

- 1 round canopy 113815263
- 1 unit of t-3820C
- 1 unit of t-3821C
- 1 driver 671000043


#### FINISHES / ACABADOS

Canopy: 26 BLK  
Body: 26 BLK

#### EURO €

746

### R12.1S1M - WITH RECESSED CANOPY



#### Composition includes:


- 1 round recessed canopy 113820263
- 1 unit of t-3820C
- 1 unit of t-3821C
- 1 remote driver 671000043

#### FINISHES / ACABADOS

Canopy: 26 BLK  
Body: 26 BLK


#### EURO €

636

 Ø 50mm drill on dropped ceiling  
Orificio Ø 50mm en falso techo

**CIRC**

**R30.2S1M - WITH SURFACE CANOPY**



**Composition includes:**

- 1 round canopy 113815263
- 2 units of t-3820C
- 1 unit of t-3821C
- 1 driver 671000034


**FINISHES / ACABADOS**

Canopy: 26 BLK  
Body: 26 BLK

**EURO €**

992

**R12.2S1M - WITH RECESSED CANOPY**



**Composition includes:**

- 1 round recessed canopy 113820263
- 2 units of t-3820C
- 1 unit of t-3821C
- 1 remote driver 671000034

**FINISHES / ACABADOS**

Canopy: 26 BLK  
Body: 26 BLK


**EURO €**

882

$\varnothing$  50mm drill on dropped ceiling  
Orificio  $\varnothing$  50mm en falso techo

**CIRC**

**R30.2S2M - WITH SURFACE CANOPY**



**Composition includes:**

- 1 round canopy 113815263
- 2 units of t-3820C
- 2 units of t-3821C
- 2 drivers 671000043


**FINISHES / ACABADOS**

Canopy: 26 BLK  
Body: 26 BLK

**EURO €**

1294

**R12.2S2M - WITH RECESSED CANOPY**



**Composition includes:**

- 1 round recessed canopy 113820263
- 2 units of t-3820C
- 2 units of t-3821C
- 2 remote drivers 671000043

**FINISHES / ACABADOS**

Canopy: 26 BLK  
Body: 26 BLK


**EURO €**

1184

$\varnothing$  50mm drill on dropped ceiling  
Orificio  $\varnothing$  50mm en falso techo

**CIRC**

**R30.4S2M - WITH SURFACE CANOPY**



**Composition includes:**

- 1 round canopy 113815263
- 4 units of t-3820C
- 2 units of t-3821C
- 2 drivers 671000034


**FINISHES / ACABADOS**

Canopy: 26 BLK  
Body: 26 BLK

**EURO €**

1786

**R12.4S2M - WITH RECESSED CANOPY**



**Composition includes:**

- 1 round recessed canopy 113820263
- 4 units of t-3820C
- 2 units of t-3821C
- 2 remote drivers 671000034

**FINISHES / ACABADOS**

Canopy: 26 BLK  
Body: 26 BLK


**EURO €**

1676

$\varnothing$  50mm drill on dropped ceiling  
Orificio  $\varnothing$  50mm en falso techo

**CIRC**

**t-3825**



**FEATURES / CARACTERÍSTICAS**

\* LED 5x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 5x725 lumens  
Driver included / Dimmable Triac  
Glass shade and acoustic panel

**FINISHES / ACABADOS**

Canopy: 26 BLK  
Acoustic Panel:  
26 BLK & 55 BG


**EURO €**

1819

**Product includes:**

- 1 unit of t-3825
- 1 driver 671000034
- 1 driver 671000043

**CIRC** M-3826X - OUTDOOR



**FEATURES / CARACTERÍSTICAS**  
 \*LED 2,5W (3000K / Ang. 120° / >80 CRI  
 5200mAh) 230V / Typ 290 lumens  
 Polyethylene shade

**FINISHES / ACABADOS**  
 46 M GN  
 78 OX RD


**EURO €**  
 328  
 328

**Product includes:**

- 1 unit of M-3826
- 1 charger kit 671000044

Li Ion battery / Induction charging base  
 Three position dimming / Remote control / Battery charging time 8-10h  
 Battery life over 6h at maximum brightness

**CIRC** A-3830S - WITH SURFACE CANOPY



**FEATURES / CARACTERÍSTICAS**  
 \* LED 6,2W (2700K / Ang. 120° / >90 CRI  
 350mA) 230V / Typ 725 lumens  
 Driver included / Dimmable Triac  
 Glass shade


**FINISHES / ACABADOS**  
 Canopy: 26 BLK  
 Body: 26 BLK

**EURO €**  
 502

**Product includes:**

- 1 round canopy 113815263
- 1 unit of A-3830C
- 1 driver 671000061

**CIRC** A-3830R - WITH RECESSED CANOPY



**FEATURES / CARACTERÍSTICAS**  
 \* LED 6,2W (2700K / Ang. 120° / >90 CRI  
 350mA) 230V / Typ 725 lumens  
 Remote driver included / Dimmable Triac  
 Glass shade

**FINISHES / ACABADOS**  
 Canopy: 26 BLK  
 Body: 26 BLK


**EURO €**  
 392

**Product includes:**

- 1 round recessed canopy 113820263
- 1 unit of A-3830C
- 1 remote driver 671000061

Ø50 mm drill on dry wall  
 Orificio Ø50 mm en pared de pladur

**CIRC** R12.4S - WITH RECESSED CANOPY



**Composition includes:**


- 1 round recessed canopy 113820263
- 4 units of A-3830C
- 2 remote drivers 671000043

**FINISHES / ACABADOS**  
 Canopy: 26 BLK  
 Body: 26 BLK

**EURO €**  
 1246

Ø50 mm drill on dry wall  
 Orificio Ø50 mm en pared de pladur

**CIRC** R30.6S - WITH SURFACE CANOPY



**Composition includes:**

- 1 round canopy 113815263
- 6 units of A-3830C
- 2 drivers 671000034

**FINISHES / ACABADOS**  
 Canopy: 26 BLK  
 Body: 26 BLK

**EURO €**  
 1888



CIRC	t-3832	FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS	EURO €
		* LED 8W (2700K / Ang. 120° / >90 CRI)	26 BLK	246
		230V / Typ 665 lumens Glass shade Dimmable Triac	61 S GLD	263

CIRC	M-3836	FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS	EURO €
		* LED 8W (2700K / Ang. 120° / >90 CRI)	26 BLK	282
		230V / Typ 665 lumens Glass shade On/Off cord switch	61 S GLD	299

CIRC	123815263 - SUSPENSION FLOWER POT KIT	FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS	EURO €
		Flower pot KIT for greenery in black anthracite polyethylene. Plants not included. Waterproof / Maximum 1,5kg	26 BLK ANT	187
		KIT de vegetación para plantas. Plantas no incluidas. Maceta de polietileno negro antracita. Resistente al agua / Máximo 1,5kg		

CIRC	123815264 - WALL FLOWER POT KIT	FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS	EURO €
		Flower pot KIT for greenery in black anthracite polyethylene. Plants not included. Waterproof / Maximum 1,5kg	26 BLK ANT	154
		KIT de vegetación para plantas. Plantas no incluidas. Maceta de polietileno negro antracita. Resistente al agua / Máximo 1,5kg		

CORNET	A-3330	FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS	EURO €
		* LED 3W (2700K / Ang. 120° / >90 CRI / 24V)	74 WH	N/A
		100V - 240V / Typ 300 lumens On/Off switch		


Projects only - Minimum 100 units  
Sólo proyectos - Mínimo 100 unidades

CORNET	M-3335	FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS	EURO €
		* LED 3W (2700K / Ang. 120° / >90 CRI / 24V)	74 WH	N/A
		230V / Typ 300 lumens On/Off cord switch		

Projects only - Minimum 100 units  
Sólo proyectos - Mínimo 100 unidades

## CUPOLINA

### A-3930



#### FEATURES / CARACTERÍSTICAS

\* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens  
Non Dimmable

#### FINISHES / ACABADOS

26 BLK  
74 WH  
59 TC

#### EURO €


381  
381  
421

#### Product includes:

- 1 unit of A-3930
- 1 shelf

## CUPOLINA

### T-3934S - WITH SURFACE CANOPY



#### FEATURES / CARACTERÍSTICAS

\* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens  
Driver included / Non Dimmable

#### FINISHES / ACABADOS


26 BLK  
74 WH  
59 TC

#### EURO €

267  
267  
278

#### Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3934 with cable
- 1 driver 671000038 / Non Dimmable



### T-3934R - WITH RECESSED CANOPY

#### FEATURES / CARACTERÍSTICAS

\* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 230V / Typ 725 lumens  
Remote driver included / Dimmable Triac

#### FINISHES / ACABADOS


26 BLK  
74 WH  
59 TC

#### EURO €

255  
255  
265


#### Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3934 • 1 remote driver 671000061 / Dimmable Triac

  $\varnothing$  45mm drill on dropped ceiling  
Orificio  $\varnothing$  45mm en falso techo

## CUPOLINA

### T-3935



#### FEATURES / CARACTERÍSTICAS

\* LED 6x6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 230V / Typ 6x725 lumens  
Driver included / Dimmable Triac

#### FINISHES / ACABADOS

26 BLK  
74 WH

#### EURO €

1440  
1440

#### Product includes:

- 1 single canopy 113935262
- 1 unit of T-3935
- 2 drivers 671000034 / Dimmable Triac

#### 123935XX0 Acoustic panel with greenery

Acoustic panel with artificial greenery  
 $\alpha_w = 0,25$  (Sound absorption indicators)  
60% recycled bottles (PET)

#### FINISHES / ACABADOS


Acoustic Foam Panel:  
26 BLK  
74 WH

#### EURO €

1040  
1040

**CUPOLINA**

M-3937

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (2700K / Ang. 70° / >90 CRI  
350mA) / 230V / Typ 725 lumens  
On/Off cord switch

**FINISHES / ACABADOS**


26 BLK  
74 WH  
59 TC

**EURO €**

389  
389  
418

**CUPOLINA**

p-3939

**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (2700K / Ang. 70° / >90 CRI  
350mA) / 230V / Typ 725 lumens  
On/Off cord switch

**FINISHES / ACABADOS**


26 BLK  
74 WH  
59 TC

**EURO €**

632  
632  
679

**CYLS**

A-3900

**FEATURES / CARACTERÍSTICAS**

LED up to 10W / E14 / 230V  
Dimmable when using dim. lamps

**FINISHES / ACABADOS**

26 BLK  
55 BG

**EURO €**

139  
139

**100006400**


LED 6W / 2700K / E14 / 230V / Typ 650 lumens / Non Dimmable

**EURO €**

14

**CYLS**

T-3905

**FEATURES / CARACTERÍSTICAS**

LED up to 20W / E27 / 120V - 240V  
Dimmable when using dim. lamps

**FINISHES / ACABADOS**

26 BLK  
55 BG

**EURO €**

203  
203

**T-3905P****FEATURES / CARACTERÍSTICAS**

LED up to 20W / E27 / 120V - 240V  
Dimmable when using dim. lamps  
Translucent polyester shade

**FINISHES / ACABADOS**

Shade: 27 WH  
Body: 26 BLK  
55 BG

**EURO €**

321  
321

**Product includes:**

- 1 unit of T-3905
- 1 white pearl shade 123905270

**100019420**


LED 19W / 2700K / E27 / 230V  
Typ 2452 lumens / Non Dimmable

**EURO €**

24

**CYLS**

M-3906

**FEATURES / CARACTERÍSTICAS**

LED up to 20W / E27 / 230V  
On/Off cord switch

**FINISHES / ACABADOS**


26 BLK  
55 BG

**EURO €**

168  
168

**CYLS**

**M-3906P**



**FEATURES / CARACTERÍSTICAS**

LED up to 20W / E27 / 230V  
On/Off cord switch  
Translucent polyester shade

**FINISHES / ACABADOS**

Shade: 27 WH  
Body: 26 BLK  
55 BG

**EURO €**

286  
286

**Product includes:**

- 1 unit of M-3906
- 1 white pearl shade 123905270

**100019420**


LED 19W / 2700K / E27 / 230V / Typ 2452 lumens / Non Dimmable

**EURO €**

24

**CYLS**

**M-3907**



**FEATURES / CARACTERÍSTICAS**

LED up to 10W  
E14 / 230V  
On/Off cord switch

**FINISHES / ACABADOS**

26 BLK  
55 BG

**EURO €**

306  
306

**100006400**


LED 6W / 2700K / E14 / 230V / Typ 650 lumens / Non Dimmable

**EURO €**

14

**CYLS**

**p-3908**



**FEATURES / CARACTERÍSTICAS**

LED up to 20W / E27 / 230V  
On/Off cord switch

**FINISHES / ACABADOS**

26 BLK  
55 BG

**EURO €**

529  
529

**Product includes:**

- 1 unit of p-3908
- 1 metal base 113908XX2

**p-3908P**

**FEATURES / CARACTERÍSTICAS**

LED up to 20W E27 / 230V  
On/Off cord switch  
Translucent polyester shade

**FINISHES / ACABADOS**

Shade: 27 WH  
Body: 26 BLK  
55 BG

**EURO €**

647  
647

**Product includes:**

- 1 unit of p-3908
- 1 metal base 113908XX2
- 1 white pearl shade 123905270

**100019420**


LED 19W / 2700K / E27 / 230V / Typ 2452 lumens / Non Dimmable

**EURO €**

24

**CYLS**

**p-3908M**



**FEATURES / CARACTERÍSTICAS**

LED up to 20W / E27 / 230V  
On/Off cord switch / Marble base

**FINISHES / ACABADOS**

26 BLK  
55 BG

**EURO €**

723  
723

**Product includes:**

- 1 unit of p-3908
- 1 marble base 113908503

**p-3908MP**

**FEATURES / CARACTERÍSTICAS**

LED up to 20W / E27 / 230V  
On/Off cord switch / Marble base  
Translucent polyester shade

**FINISHES / ACABADOS**

Shade: 27 WH  
Body: 26 BLK  
55 BG

**EURO €**

841  
841

**Product includes:**

- 1 unit of p-3908
- 1 marble base 113908503
- 1 white pearl shade 123905270

**100019420**


LED 19W / 2700K / E27 / 230V / Typ 2452 lumens / Non Dimmable

**EURO €**

24

## ECLIPSI

## A-3700 / t-3700




## FEATURES / CARACTERÍSTICAS

\* LED 2x10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 2x870 lumens  
Dimmable Triac  
Weight: 4,5Kg / 9,92 lb

## FINISHES / ACABADOS

74 WH

EURO €
481




## Signage

Optional laser-cut signage / Minimum order 18 units  
Señalización opcional con láser / Pedido mínimo 18 unidades

EURO €
37

## ECLIPSI

## A-3701 / t-3701




## FEATURES / CARACTERÍSTICAS

\* LED 2x15W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 2x1245 lumens  
Dimmable Triac  
Weight: 8,5Kg / 18,74 lb

## FINISHES / ACABADOS


74 WH

EURO €
656



## FLOW

## A-3730



## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (2700K / Ang. 70° / >90 CRI  
350mA) / 100V - 240V / Typ 725 lumens  
Non dimmable


## FINISHES / ACABADOS

61 S GLD  
26 BLK  
74 WH

EURO €
334
300
300

## FLOW

## T-3734S - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (2700K / Ang. 70° / >90 CRI  
350mA) / 100V - 240V / Typ 725 lumens  
Driver included / Non dimmable

## FINISHES / ACABADOS


Canopy: 26 BLK - 71WH  
Shade: 61 S GLD  
26 BLK  
74 WH

EURO €
325
310
310

## Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3734C with cable
- 1 driver 671000038 / Non Dimmable

## T-3734R - WITH RECESSED CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (2700K / Ang. 70° / >90 CRI  
350mA) / 230V / Typ 725 lumens  
Remote driver included / Dimmable Triac

## FINISHES / ACABADOS

Canopy: 26 BLK - 71WH  
Shade: 61 S GLD  
26 BLK  
74 WH

EURO €
313
298
298


## Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3734C with cable
- 1 remote driver 671000061 / Dimmable Triac

Ø 45mm drill on dropped ceiling  
Orificio Ø 45mm en falso techo

## FLOW

### T-3735S - WITH SURFACE CANOPY



#### FEATURES / CARACTERÍSTICAS

\* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens  
Driver included / Non dimmable

#### FINISHES / ACABADOS

Canopy: 26 BLK - 71WH  
Shade: 61 S GLD  
26 BLK  
74 WH


#### EURO €

346  
330  
330

#### Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3735C with cable
- 1 driver 671000038 / Non Dimmable

### T-3735R - WITH RECESSED CANOPY



#### FEATURES / CARACTERÍSTICAS

\* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 230V / Typ 725 lumens  
Remote driver included / Dimmable Triac

#### FINISHES / ACABADOS


Canopy: 26 BLK - 71WH  
Shade: 61 S GLD  
26 BLK  
74 WH

#### EURO €

334  
318  
318


#### Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3735C with cable
- 1 remote driver 671000061 / Dimmable Triac

 Ø 45mm drill on dropped ceiling  
Orificio Ø 45mm en falso techo

## FLOW

### T-3736S - WITH SURFACE CANOPY



#### FEATURES / CARACTERÍSTICAS

\* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens  
Driver included / Non dimmable

#### FINISHES / ACABADOS

Canopy: 26 BLK - 71WH  
Shade: 61 S GLD  
26 BLK  
74 WH


#### EURO €

351  
335  
335

#### Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3736C with cable
- 1 driver 671000038 / Non Dimmable

### T-3736R - WITH RECESSED CANOPY



#### FEATURES / CARACTERÍSTICAS

\* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 230V / Typ 725 lumens  
Remote driver included / Dimmable Triac

#### FINISHES / ACABADOS


Canopy: 26 BLK - 71WH  
Shade: 61 S GLD  
26 BLK  
74 WH

#### EURO €

339  
323  
323


#### Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3736C with cable
- 1 remote driver 671000061 / Dimmable Triac

 Ø 45mm drill on dropped ceiling  
Orificio Ø 45mm en falso techo

### DRIVER FLOW - 671000038

T-3734 / T-3735 / T-3736 (Max. 1x 6,1W) / 100V - 240V Non dimmable


 Ø 40mm drill on dropped ceiling / Orificio Ø 40mm en falso techo

#### EURO €

32

### REMOTE DRIVER FLOW - 671000061

T-3734 / T-3735 / T-3736 (Max. 1x10W) / 230V Dimmable Triac


 Ø 45mm drill on dropped ceiling / Orificio Ø 45mm en falso techo

#### EURO €

68

### DRIVER FLOW - 671000034

T-3734 / T-3735 / T-3736 (Min. 2x6,1W - Max. 3x 6,1W) 230V / Dimmable Triac

 Ø 50mm drill on dropped ceiling / Orificio Ø 50mm en falso techo


#### EURO €

47

### REMOTE DALI DRIVER FLOW - 671000056

T-3734 / T-3735 / T-3736 (Min. 1x6,1W - Max. 3x 6,1W) / 230V / DALI Dimmable

Remote driver - upon request / bajo pedido


 Ø 40mm drill on dropped ceiling / Orificio Ø 40mm en falso techo

#### EURO €

79

## FLOW

## L73S.3S - WITH SURFACE CANOPY

**Composition includes:**

- 1 linear canopy 113415XX1
- 3 units of T-3734C with cable
- 1 driver 671000034 / Dimmable Triac

Up to 2 additional FLOW can be added  
Posibilidad de añadir hasta 2 FLOW

**FINISHES / ACABADOS**


Canopy: 26 BLK - 71 WH  
Shade: 61 S GLD  
26 BLK  
74 WH

**EURO €**

954  
909  
909

## FLOW

## L92S.4S - WITH SURFACE CANOPY

**Composition includes:**

- 1 linear canopy 113415XX3
- 4 units of T-3734C with cable
- 2 drivers 671000034 / Dimmable Triac

Up to 3 additional FLOW can be added  
Posibilidad de añadir hasta 3 FLOW

**FINISHES / ACABADOS**


Canopy: 26 BLK - 71 WH  
Shade: 61 S GLD  
26 BLK  
74 WH

**EURO €**

1230  
1170  
1170

## FLOW

## L165S.6S - WITH SURFACE CANOPY

**Composition includes:**

- 1 linear canopy 113415XX7
- 6 units of T-3734C with cable
- 2 drivers 671000034 / Dimmable Triac

Up to 5 additional FLOW can be added  
Posibilidad de añadir hasta 5 FLOW

**FINISHES / ACABADOS**


Canopy: 26 BLK - 71 WH  
Shade: 61 S GLD  
26 BLK  
74 WH

**EURO €**

1800  
1710  
1710

## FLOW

## R40S.3S - WITH SURFACE CANOPY

**Composition includes:**

- 1 round canopy 113415XX6
- 3 units of T-3734C with cable
- 1 driver 671000034 / Dimmable Triac

Up to 2 additional FLOW can be added  
Posibilidad de añadir hasta 2 FLOW

**FINISHES / ACABADOS**


Canopy: 26 BLK - 71 WH  
Shade: 61 S GLD  
26 BLK  
74 WH

**EURO €**

1319  
1274  
1274

## FOLIO

## M-3245

**FEATURES / CARACTERÍSTICAS**

\* LED 8W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 665 lumens  
On/Off cord switch

**FINISHES / ACABADOS**

56 BLK  
74 WH


**EURO €**

289  
289

Available until end of stock  
Disponible hasta agotar existencias

## FRAME

## A-4050 - INDOOR




\* LED 6,2W (2700K / Ang. 70° / >90 CRI  
350mA) / 100V - 240V / Typ 725 lumens  
Non Dimmable  
Satinated pyrex glass / Cristal pyrex satinado

**FINISHES / ACABADOS**

74 WH  
96 BLK ANT

**EURO €**

284  
284

**FRAME**
**A-4051 - INDOOR**


\* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens  
Non Dimmable  
Satinated pyrex glass / Cristal pyrex satinado


**FINISHES / ACABADOS**  
74 WH  
96 BLK ANT

**EURO €**  
303  
303

**Signage**

Optional laser-cut signage / Minimum order 16 units  
Señalización opcional con láser / Pedido mínimo 16 unidades

**EURO €**  
37


**FRAME**
**A-4053X - OUTDOOR**


**IP**  
65

\* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens  
Non Dimmable  
Transparent pyrex glass / Cristal pyrex transparente

**FINISHES / ACABADOS**  
96 BLK ANT

**EURO €**  
349


**FRAME**
**P-4054X - OUTDOOR**


**IP**  
65

\* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens  
Non Dimmable / Hard wired (no plug)  
Transparent pyrex glass / Cristal pyrex transparente

**FINISHES / ACABADOS**  
96 BLK ANT

**EURO €**  
357


**FRAME**
**P-4055X - OUTDOOR**


**IP**  
65

\* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens  
Non Dimmable / Hard wired (no plug)  
Transparent pyrex glass / Cristal pyrex transparente

**FINISHES / ACABADOS**  
96 BLK ANT

**EURO €**  
373

**FRAME**
**P-4056X - OUTDOOR**


**IP**  
65

\* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens  
Non Dimmable / Hard wired (no plug)  
Transparent pyrex glass / Cristal pyrex transparente


**FINISHES / ACABADOS**  
96 BLK ANT

**EURO €**  
409



**GADA**

**A-3921**



**FEATURES / CARACTERÍSTICAS**

\* LED 15,5W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 2515 lumens  
Non Dimmable

**FINISHES / ACABADOS**

Shade: 74 WH  
Textured vinyl shade:  
50 MM  
51 CT  
52 WD

**EURO €**

385  
435  
435  
435

**Signage**


Optional laser-cut signage / Minimum order 13 units  
Señalización opcional con láser / Pedido mínimo 13 unidades

**EURO €**

37

**GADA**

**T-3924S - WITH SURFACE CANOPY**



**FEATURES / CARACTERÍSTICAS**

\* LED 15,5W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 2515 lumens  
Driver included / Non Dimmable

**FINISHES / ACABADOS**

Shade: 74 WH  
Textured vinyl shade:  
50 MM  
51 CT  
52 WD


**EURO €**

472  
520  
520  
520

**Product includes:**

- 1 single canopy 113924740
- 1 unit of T-3924
- 1 driver 671000064 / Non Dimmable

**T-3924R - WITH RECESSED CANOPY**



**FEATURES / CARACTERÍSTICAS**

\* LED 15,5W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 2515 lumens  
Driver included / Non Dimmable

**FINISHES / ACABADOS**

Shade: 74 WH  
Textured vinyl shade:  
50 MM  
51 CT  
52 WD

**EURO €**

445  
493  
493  
493


**Product includes:**

- 1 recessed canopy 113534712
- 1 unit of T-3924
- 1 driver 671000064 / Non Dimmable

Ø 55mm drill on dropped ceiling  
Orificio Ø 55mm en falso techo

**GADA**

**T-3925S - WITH SURFACE CANOPY**



**FEATURES / CARACTERÍSTICAS**

\* LED 21,5W (3000K / Ang. 90° / >90 CRI 700mA) / 230V / Typ 3460 lumens  
Driver included / Non Dimmable

**FINISHES / ACABADOS**

Shade: 74 WH  
Textured vinyl shade:  
50 MM  
51 CT  
52 WD


**EURO €**

560  
615  
615  
615

**Product includes:**

- 1 single canopy 113924740
- 1 unit of T-3925
- 1 driver 671000065 / Non Dimmable

**T-3925R - WITH RECESSED CANOPY**



**FEATURES / CARACTERÍSTICAS**

\* LED 21,5W (3000K / Ang. 90° / >90 CRI 700mA) / 230V / Typ 3460 lumens  
Driver included / Non Dimmable

**FINISHES / ACABADOS**

Shade: 74 WH  
Textured vinyl shade:  
50 MM  
51 CT  
52 WD

**EURO €**

533  
588  
588  
588


**Product includes:**

- 1 single canopy 113534712
- 1 unit of T-3925
- 1 driver 671000065 / Non Dimmable

Ø 55mm drill on dropped ceiling  
Orificio Ø 55mm en falso techo

**GADA**

**M-3927**



**FEATURES / CARACTERÍSTICAS**

\* LED 15,5W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 2515 lumens  
On/Off switch on the base

**FINISHES / ACABADOS**


Shade: 74 WH  
Textured vinyl shade:  
50 MM  
51 CT  
52 WD

**EURO €**

570  
607  
607  
607

**ICONS**

**P-1127**



**FEATURES / CARACTERÍSTICAS**

\* Hal. up to 200W / 118mm / R7s base  
230V / Dimmable

Compatible with Dimmable LED  
118mm / R7s base / 230V  
Not included

⊕ \* LED 6,2W (2700K/ Ang.120°  
>90 CRI / 350mA) / 230V  
Typ 725 lumens  
On/Off Switch

**FINISHES / ACABADOS**

61 S GLD  
37 NI  
26 BLK

**EURO €**

1139  
979  
950

**100015400**


R7s Bulb - LED 15W / 2700K / Typ 2000 lumens / Dimmable

**EURO €**

37

**ICONS**

**P-1129**



**FEATURES / CARACTERÍSTICAS**

\* Hal. up to 200W / 118mm / R7s base  
230V / Dimmable

Compatible with Dimmable LED  
118mm / R7s base / 230V  
Not included

**FINISHES / ACABADOS**

36 BR  
61 S GLD  
21 GLD  
22 CH  
23 BLK P  
37 NI  
26 BLK

**EURO €**

691  
691  
653  
653  
653  
653  
545

**100015400**


R7s Bulb - LED 15W / 2700K / Typ 2000 lumens / Dimmable

**EURO €**

37

**ICONS**

**p-1139L**



**FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (2700K / Ang. 120°  
>90 CRI / 350mA) / 230V  
Typ 725 lumens  
Push button dimmer

**FINISHES / ACABADOS**


37 NI  
26 BLK

**EURO €**

700  
632

**IRIS**

**A-2710L**



**FEATURES / CARACTERÍSTICAS**

\* LED 15W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 1245 lumens / Dimmable Triac  
Translucent polyester shade

**Product includes:**

- 1 unit of A-2710L
- 1 shade 112710XX0


**FINISHES / ACABADOS**


Shade: 26 BLK  
27WH  
38 GR  
Body: 37 NI


**EURO €**


N/A


Projects only - Minimum 50 units  
Sólo proyectos - Mínimo 50 unidades


IRIS		t-2712	FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS	EURO €
			LED up to 3x20W E27 / 120V - 240V Dimmable when using dim. lamps Translucent polyester shade	Shade: 26 BLK 27WH 38 GR Body: 37 NI	761

IRIS		t-2713	FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS	EURO €
			LED up to 3x20W E27 / 120V - 240V Dimmable when using dim. lamps Translucent polyester shade	Shade: 26 BLK 27WH 38 GR Body: 37 NI	965

IRIS		T-2714	FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS	EURO €
			LED up to 3x20W E27 / 120V - 240V Dimmable when using dim. lamps Translucent polyester shade	Shade: 26 BLK 27WH 38 GR Body: 37 NI	1137



IRIS		M-2717	FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS	EURO €
			■■■■ LED 3x8,5W (2700K / Ang. 120° / >80 CRI) E27 / Typ 3x805 lumens / 230V Dimmable Translucent polyester shade	Shade: 26 BLK 27WH 38 GR Body: 22 CH 37 NI	N/A N/A
			<b>Product includes:</b> <ul style="list-style-type: none"> <li>• 1 unit of M-2717</li> <li>• 1 shade 112719XX0X</li> <li>• 3 dimmable led bulbs</li> </ul>	Projects only - Minimum 50 units Sólo proyectos - Mínimo 50 unidades	

IRIS		P-2718	FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS	EURO €
			■■■■ LED 3x8,5W (2700K / Ang. 120° / >80 CRI) E27 / Typ 3x805 lumens / 230V Dimmable Translucent polyester shade	Shade: 26 BLK 27WH 38 GR Body: 22 CH 37 NI	2518 2442
			<b>Product includes:</b> <ul style="list-style-type: none"> <li>• 1 unit of P-2718</li> <li>• 1 shade 112718XX0X</li> <li>• 3 dimmable led bulbs</li> </ul>		

IRIS		P-2719	FEATURES / CARACTERÍSTICAS	FINISHES / ACABADOS	EURO €
			■■■■ LED 3x8,5W (2700K / Ang. 120° / >80 CRI) E27 / Typ 3x805 lumens / 230V Dimmable Translucent polyester shade	Shade: 26 BLK 27WH 38 GR Body: 22 CH 37 NI	1419 1368
			<b>Product includes:</b> <ul style="list-style-type: none"> <li>• 1 unit of P-2719</li> <li>• 1 shade 112719XX0X</li> <li>• 3 dimmable led bulbs</li> </ul>		

**LAVERD**

**T-3805**



**FEATURES / CARACTERÍSTICAS**

\* LED 16x3W (2700K / Ang. 60° / >90 CRI 24V) 100V - 277V / Typ 16x300 lumens  
Driver included / Dimmable 0-10V  
Up and down light

**Product includes:**

- 1 round canopy 113805263
- 1 unit of T-3805
- 1 driver included / Dimmable 0-10V


**FINISHES / ACABADOS**

Canopy: 26 BLK  
Body: 26 BLK  
Head: 26 BLK  
61 S GLD

**EURO €**



2010  
2178

Possible shapes / compositions



**LAVERD**

**T-3806**



**FEATURES / CARACTERÍSTICAS**

\* LED 24x3W (2700K / Ang. 60° / >90 CRI 24V) 100V - 277V / Typ 24x300 lumens  
Driver included / Dimmable 0-10V  
Up and down light

**Product includes:**

- 1 round canopy 113805263
- 1 unit of T-3806
- 1 driver included / Dimmable 0-10V


**FINISHES / ACABADOS**

Canopy: 26 BLK  
Body: 26 BLK  
Head: 26 BLK  
61 S GLD

**EURO €**



3188  
3441

Possible shapes / compositions



**LAVERD**

**R11S.1S1M**



**Composition includes:**

- 1 round canopy 113805263
- 1 unit of T-3805
- 1 unit of T-3806
- 1 connection kit 123805262


**FINISHES / ACABADOS**

Canopy: 26 BLK  
Body: 26 BLK  
Head: 26 BLK  
61 S GLD

**EURO €**


5200  
5621

Possible shapes / compositions



## LAVERD

## R11S.1M1VK



## FEATURES / CARACTERÍSTICAS

\* LED 24x3W (2700K / Ang. 60° / >90 CRI 24V) 100V - 277V / Typ 24x300 lumens  
Dimmable 0-10V  
Up and down light

## Product includes:


- 1 round canopy 113805263
  - 1 unit of T-3806
  - 1 vegetation KIT 123815262 with artificial greenery included.
- Not waterproof / Maximum 30kg

## FINISHES / ACABADOS

Canopy: 26 BLK  
Body: 26 BLK  
Head: 26 BLK  
61 S GLD


## EURO €

5229  
5482



## LUCK

## T-2443 - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

LED up to 20W  
Globe  $\varnothing 95 \text{ mm}$  / E27 / 120V - 240V  
Dimmable when using dim. lamps

## Composition includes:

- 1 single canopy 113416XX0
- 1 unit of T-2443C with textile cable
- 1 ceiling holder

## FINISHES / ACABADOS


Canopy: 26 BLK  
37 NI  
71 WH  
Body: 44 CP  
37 NI  
26 BLK

## EURO €

550  
508  
485

## LUCK

## L73S.3 - WITH SURFACE CANOPY



## Composition includes:

- 1 linear canopy 113415XX1
- 3 units of T-2443C with textile cable

## FINISHES / ACABADOS


Canopy: 26 BLK - 71 WH  
Body: 44 CP  
37 NI  
26 BLK

## EURO €

1678  
1528  
1483

## LUCK

## R40S.3 - WITH SURFACE CANOPY



## Composition includes:

- 1 round canopy 113415XX6
- 3 units of T-2443C with textile cable

## FINISHES / ACABADOS


Canopy: 26 BLK - 71 WH  
Body: 44 CP  
37 NI  
26 BLK

## EURO €

2043  
1893  
1848

## LUNE

### A-3370-W OUTDOOR



#### FEATURES / CARACTERÍSTICAS

\* LED 10W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

#### FINISHES / ACABADOS

Indoor & Outdoor: 26 BLK  
74 WH  
Indoor only: 61 S GLD  
37 NI  
52 WD

#### EURO €

363  
363  
404  
390  
427

#### Signage


Optional laser-cut signage  
Señalización opcional con láser

#### EURO €

57

## MAINE

### t-3410L / A-3410L



#### FEATURES / CARACTERÍSTICAS

\* LED 10W (2700K / Ang. 75° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

#### FINISHES / ACABADOS


45 CP M  
20 GLD M  
26 BLK

#### EURO €

284  
284  
270

## MAINE

### t-3411L



#### FEATURES / CARACTERÍSTICAS

\* LED 15W (2700K / Ang. 75° / >90 CRI)  
230V / Typ 1245 lumens  
Dimmable Triac

#### FINISHES / ACABADOS

45 CP M  
20 GLD M  
26 BLK


#### EURO €

391  
391  
377

Available until end of stock  
Disponibile hasta agotar existencias

## MAINE

### T-3415LS - WITH SURFACE CANOPY



#### FEATURES / CARACTERÍSTICAS

\* LED 10W (2700K / Ang. 75° / >90 CRI)  
230V / Typ 870 lumens  
Dimmable Triac

#### FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH  
Shade: 45 CP M  
20 GLD M  
26 BLK

#### EURO €


376  
376  
360

#### Product includes:

- 1 single canopy 113416XX0
- 1 unit of T-3415LC with textile cable
- 1 ceiling holder

## MAINE

### T-3416LS - WITH SURFACE CANOPY



#### FEATURES / CARACTERÍSTICAS

\* LED 15W (2700K / Ang. 75° / >90 CRI)  
230V / Typ 1245 lumens  
Dimmable Triac

#### FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH  
Shade: 45 CP M  
20 GLD M  
26 BLK

#### EURO €

506  
506  
490


#### Product includes:

- 1 single canopy 113416XX0
- 1 unit of T-3416LC with textile cable
- 1 ceiling holder

Available until end of stock  
Disponibile hasta agotar existencias

**MAINE**

**R40S.3S - WITH SURFACE CANOPY**



**Composition includes:**

- 1 round canopy 113415XX6
- 3 units of T-3415LC with textile cable

**FINISHES / ACABADOS**


- Canopy: 26 BLK - 71 WH
- Shade: 45 CP M
- 20 GLD M
- 26 BLK

**EURO €**

- 1521
- 1521
- 1473

**MORSE**

**T-3915S - WITH SURFACE CANOPY**



**FEATURES / CARACTERÍSTICAS**

\* LED 3x6,2W [2700K / Ang. 120° / >90 CRI 350mA] 230V / Typ 3x725 lumens  
Driver included / Dimmable Triac

**FINISHES / ACABADOS**

- Canopy: 26 BLK - 71 WH
- Body: 26 BLK
- 74 WH


**EURO €**

- 969
- 969

**Product includes:**

- 1 single canopy 113924XX0
- 1 unit of T-3915
- 1 driver 671000034 / Dimmable Triac

**T-3915R - WITH RECESSED CANOPY**



**FEATURES / CARACTERÍSTICAS**

\* LED 3x6,2W [2700K / Ang. 120° / >90 CRI 350mA] 230V / Typ 3x725 lumens  
Remote driver included / Dimmable Triac

**FINISHES / ACABADOS**


- Canopy: 26 BLK - 71 WH
- Body: 26 BLK
- 74 WH

**EURO €**

- 942
- 942

**Product includes:**

- 1 single canopy 113534XX2
- 1 unit of T-3915
- 1 remote driver 671000034 / Dimmable Triac



  $\varnothing$  55mm drill on dropped ceiling  
Orificio  $\varnothing$  55mm en falso techo

**123915002**

Union KIT for more than one Morse / KIT unión para más de una Morse


**EURO €**

- 18



**NÈBULA**

**t-3133**



**FEATURES / CARACTERÍSTICAS**

LED up to 3x20W  
E27 / 120V - 240V  
Dimmable when using dim. lamps

**FINISHES / ACABADOS**


- 74 WH

**EURO €**

- 439

Available until end of stock  
Disponible hasta agotar existencias

**NIT** **A-3520**




**FEATURES / CARACTERÍSTICAS**  
 \* LED 1W (3000K / Ang. 60° / >80 CRI / 350mA)  
 100V - 240V / Typ 123 lumens  
 On/Off switch  
 2 Amp USB Charger  
 Low ripple

**FINISHES / ACABADOS**  
 26 BLK  
 74 WH

**EURO €**  
 377  
 377

**Product includes:**  
 • 1 unit of A-3520  
 • 1 top shelf 113520XX0

**OBS** **A-3220L**




**FEATURES / CARACTERÍSTICAS**  
 \* LED 15W (2700K / Ang. 120° / >90 CRI)  
 230V / Typ 1245 lumens  
 Dimmable Triac

**FINISHES / ACABADOS**  
 44 CP  
 61 S GLD  
 76 WH

**EURO €**  
 327  
 318  
 237

**OBS** **t-3222L**




**FEATURES / CARACTERÍSTICAS**  
 \* LED 15W (2700K / Ang. 120° / >90 CRI)  
 230V / Typ 1245 lumens  
 Dimmable Triac

**FINISHES / ACABADOS**  
 61 S GLD  
 76 WH

**EURO €**  
 N/A  
 N/A

Projects only - Minimum 25 units  
 Sólo proyectos - Mínimo 25 unidades

**OBS** **T-3225**




**FEATURES / CARACTERÍSTICAS**  
 \* LED 5x10W (2700K / Ang. 120° / >90 CRI)  
 230V / Typ 5x870 lumens  
 Dimmable Triac

**FINISHES / ACABADOS**  
 61 S GLD  
 76 WH

**EURO €**  
 1665  
 1357

**OBS** **T-3226**




**FEATURES / CARACTERÍSTICAS**  
 \* LED 3x10W (2700K / Ang. 120° / >90 CRI)  
 230V / Typ 3x870 lumens  
 Dimmable Triac

**FINISHES / ACABADOS**  
 61 S GLD  
 76 WH

**EURO €**  
 1138  
 935



**PILA****T-3555S - WITH SURFACE CANOPY****FEATURES / CARACTERÍSTICAS**

\* LED 10W (2700K / Ang. 120°  
>90 CRI) 230V / Typ 870 lumens  
Dimmable Triac

**FINISHES / ACABADOS**


Canopy: 26 BLK - 71 WH  
Body: 56 BLK - 74 WH  
Head: CORK

**EURO €**

381

**Product includes:**

- 1 single canopy 113416XX0
- 1 unit of T-3555C with textile cable
- 1 ceiling holder

**PILA****R40S.3 - WITH SURFACE CANOPY****Composition includes:**


- 1 round canopy 113415XX6
  - 3 units of T-3555C with textile cable
- Dimmable Triac

**FINISHES / ACABADOS**

Canopy: 26 BLK - 71 WH  
Body: 56 BLK - 74 WH  
Head: CORK

**EURO €**

1536

**PIU****A-3320L****FEATURES / CARACTERÍSTICAS**

\* LED 15W (2700K / Ang. 120° / >90 CRI)  
230V / Typ 1245 lumens  
Dimmable Triac

**FINISHES / ACABADOS**

74 WH

**EURO €**

223


**Signage**

Optional laser-cut signage / Minimum order 25 units

Señalización opcional con láser / Pedido mínimo 25 unidades

**EURO €**

37

**PLUMA****P-2959****FEATURES / CARACTERÍSTICAS**

\* LED 13W (2700K / Ang. 120° / >90 CRI)  
E27 / Typ 1521 lumens / 230V  
Dimmable

**FINISHES / ACABADOS**

Body: 26 BLK  
Shade: 64 BLK L

**EURO €**

1953

**Product includes:**

- 1 unit of P-2959
- 1 shade 112956XX0
- 1 dimmable LED bulb


**122959000 - KIT T-2959**

Bottom acrylic diffuser kit optional for black shade.

Kit difusor inferior de metacrilato, opcional para pantalla negra.

**EURO €**

143

**REVOLTA****A-3630****FEATURES / CARACTERÍSTICAS**

\* LED 6,2W (Ang. 45° / >90 CRI / 350mA)  
100V - 240V / Non Dimmable  
Optional 15° optic lens (see pag. 56)

**FINISHES / ACABADOS**

Body: 26 BLK  
Head: 26 BLK - 61 S GLD


**EURO €**

368

A-3630-W (2700K Typ 725 lumens)

A-3630-M (3000K Typ 763 lumens)

## REVOLTA



## T-3635S - WITH SURFACE CANOPY

### FEATURES / CARACTERÍSTICAS

\*LED 6,2W (Ang. 45° / >90 CRI 350mA) / 230V  
Driver included / Dimmable Triac  
Optional 15° optic lens (see pag. 56)

### FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD

EURO €

516

T-3635S-W (2700K Typ 725 lumens)  
T-3635S-M (3000K Typ 763 lumens)

### Product includes:

- 1 single canopy 113635XX0
- 1 unit of T-3635C

### 123635XX0 Acoustic panel

$\alpha_w = 0,4$  (Sound absorption indicators)  
Ø 380 mm  
95% Virgin wool, 5% polyamide

### FINISHES / ACABADOS

Acoustic Fabric Panel:  
82 BL - 83 EGP - 84 SLM

EURO €

297

Other finishes available, consult our offices

### 123635XX0A Acoustic panel

$\alpha_w = 0,25$  (Sound absorption indicators)  
Ø 380 mm  
60% recycled bottles (PET)


### FINISHES / ACABADOS

Acoustic Foam Panel:  
26 BLK

EURO €

115

Other finishes available, consult our offices



### 671000056 Dali Driver T-3635

UPON REQUEST / BAJO PEDIDO  
DRIVER DALI REVOLTA T-3635  
(Min. 1x6,1W - Max. 3x6,1W) / 230V  
DALI Dimmable

EURO €

79

 Ø 40mm drill on dropped ceiling  
Orificio Ø 40mm en falso techo

## T-3635R - WITH RECESSED CANOPY

### FEATURES / CARACTERÍSTICAS

\*LED 6,2W (Ang. 45° / >90 CRI 350mA) / 230V  
Remote driver included / Dimmable Triac  
Optional 15° optic lens (see pag. 56)

### FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD

EURO €

516

T-3635R-W (2700K Typ 725 lumens)  
T-3635R-M (3000K Typ 763 lumens)

### Product includes:

- 1 recessed canopy 113635XX0R
- 1 unit of T-3635C

### 123635XX0 Acoustic panel

$\alpha_w = 0,4$  (Sound absorption indicators)  
Ø 380 mm  
95% Virgin wool, 5% polyamide

### FINISHES / ACABADOS

Acoustic Fabric Panel:  
82 BL - 83 EGP - 84 SLM

EURO €

297

Other finishes available, consult our offices

### 123635XX0A Acoustic panel

$\alpha_w = 0,25$  (Sound absorption indicators)  
Ø 380 mm  
60% recycled bottles (PET)


### FINISHES / ACABADOS

Acoustic Foam Panel:  
26 BLK

EURO €

115

Other finishes available, consult our offices





### 671000056 Dali Driver T-3635


UPON REQUEST / BAJO PEDIDO  
DRIVER DALI REVOLTA T-3635  
(Min. 1x6,1W - Max. 3x6,1W) / 230V  
DALI Dimmable

EURO €

79

 Ø 40mm drill on dropped ceiling  
Orificio Ø 40mm en falso techo



**REVOLTA****T-3636S - WITH SURFACE CANOPY****FEATURES / CARACTERÍSTICAS**

\* LED 2x6,2W (Ang. 45° / >90 CRI 350mA) / 230V  
Driver included / Dimmable Triac  
Optional 15° optic lens (see pag. 56)

**FINISHES / ACABADOS**

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD

**EURO €**

688

T-3636S-W (2700K Typ 2x725 lumens)  
T-3636S-M (3000K Typ 2x763 lumens)

**Product includes:**

- 1 single canopy 113635XX0
- 1 unit of T-3636C

**123636XX0 Acoustic panel**

$\alpha_w = 0,4$  (Sound absorption indicators)  
Ø 600 mm  
95% Virgin wool, 5% polyamide

**FINISHES / ACABADOS**

Acoustic Fabric Panel:  
82 BL - 83 EGP - 84 SLM

**EURO €**

384

Other finishes available, consult our offices

**123636XX0A Acoustic panel**

$\alpha_w = 0,25$  (Sound absorption indicators)  
Ø 600 mm  
60% recycled bottles (PET)


**FINISHES / ACABADOS**

Acoustic Foam Panel:  
26 BLK

**EURO €**

154


Other finishes available, consult our offices


**671000056 Dali Driver T-3636**

UPON REQUEST / BAJO PEDIDO  
DRIVER DALI REVOLTA T-3636  
(Min. 1x6,1W - Max. 3x6,1W) / 230V  
DALI Dimmable

**EURO €**

79

 Ø 40mm drill on dropped ceiling  
Orificio Ø 40mm en falso techo

**REVOLTA****T-3636R - WITH RECESSED CANOPY****FEATURES / CARACTERÍSTICAS**

\*LED 2x6,2W (Ang. 45° / >90 CRI 350mA) / 230V  
Remote driver included / Dimmable Triac  
Optional 15° optic lens (see pag. 56)

**FINISHES / ACABADOS**

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD


**EURO €**

688

T-3636R-W (2700K Typ 2x725 lumens)  
T-3636R-M (3000K Typ 2x763 lumens)

**Product includes:**

- 1 recessed canopy 113635XX0R
- 1 unit of T-3636C

 Ø 50mm drill on dropped ceiling  
Orificio Ø 50mm en falso techo

**123636XX0 Acoustic panel**

$\alpha_w = 0,4$  (Sound absorption indicators)  
Ø 600 mm  
95% Virgin wool, 5% polyamide

**FINISHES / ACABADOS**

Acoustic Fabric Panel:  
82 BL - 83 EGP - 84 SLM

**EURO €**

384

Other finishes available, consult our offices

**123636XX0A Acoustic panel**

$\alpha_w = 0,25$  (Sound absorption indicators)  
Ø 600 mm  
60% recycled bottles (PET)


**FINISHES / ACABADOS**

Acoustic Foam Panel:  
26 BLK

**EURO €**

154


Other finishes available, consult our offices

**671000056 Dali Driver T-3636**

UPON REQUEST / BAJO PEDIDO  
DRIVER DALI REVOLTA T-3636  
(Min. 1x6,1W - Max. 3x6,1W) / 230V  
DALI Dimmable


**EURO €**

79

 Ø 40mm drill on dropped ceiling  
Orificio Ø 40mm en falso techo

**REVOLTA**

**L73S.2D - WITH SURFACE CANOPY**




- Composition includes:**
- 1 linear canopy 113535XX1
  - 2 units of T-3636C
  - 2 drivers / Dimmable Triac

**FINISHES / ACABADOS**  
 Canopy: 26 BLK - 71 WH  
 Body: 26 BLK  
 Head: 26 BLK - 61 S GLD

**EURO €**  
 1400

- Optional, not included:**
- Up to 2 acoustic panels 123636XX0X



**L73R.2D - WITH RECESSED CANOPY**

- Composition includes:**
- 1 recessed canopy 113535XX1R
  - 2 units of T-3636C
  - 2 remote drivers / Dimmable Triac

**FINISHES / ACABADOS**  
 Canopy: 26 BLK - 71 WH  
 Body: 26 BLK  
 Head: 26 BLK - 61 S GLD


**EURO €**  
 1400

- Optional, not included:**
- Up to 2 acoustic panels 123636XX0X

  
 Ø 50mm drill on dropped ceiling  
 Orificio Ø 50mm en falso techo

**REVOLTA**

**L73S.1S1D - WITH SURFACE CANOPY**




- Composition includes:**
- 1 linear canopy 113535XX1
  - 1 unit of T-3635C
  - 1 unit of T-3636C
  - 2 drivers / Dimmable Triac

**FINISHES / ACABADOS**  
 Canopy: 26 BLK - 71 WH  
 Body: 26 BLK  
 Head: 26 BLK - 61 S GLD

**EURO €**  
 1228

- Optional, not included:**
- 1 acoustic panel 123635XX0X
  - 1 acoustic panel 123636XX0X



**L73R.1S1D - WITH RECESSED CANOPY**

- Composition includes:**
- 1 recessed canopy 113535XX1R
  - 1 unit of T-3635C
  - 1 unit of T-3636C
  - 2 remote drivers / Dimmable Triac

**FINISHES / ACABADOS**  
 Canopy: 26 BLK - 71 WH  
 Body: 26 BLK  
 Head: 26 BLK - 61 S GLD


**EURO €**  
 1228

- Optional, not included:**
- 1 acoustic panel 123635XX0X
  - 1 acoustic panel 123636XX0X

  
 Ø 50mm drill on dropped ceiling  
 Orificio Ø 50mm en falso techo

## REVOLTA

## L92S.1S1D - WITH SURFACE CANOPY

**Composition includes:**

- 1 linear canopy 113535XX3
- 1 unit of T-3635C
- 1 unit of T-3636C
- 2 drivers / Dimmable Triac

**FINISHES / ACABADOS**

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD


EURO €

1228

**Optional, not included:**

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

## L92R.1S1D - WITH RECESSED CANOPY

**Composition includes:**

- 1 recessed canopy 113535XX3R
- 1 unit of T-3635C
- 1 unit of T-3636C
- 2 remote drivers / Dimmable Triac

**FINISHES / ACABADOS**

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD

EURO €

1228


**Optional, not included:**

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

 Ø 50mm drill on dropped ceiling  
Orificio Ø 50mm en falso techo

## REVOLTA

## L165S.5D - WITH SURFACE CANOPY

**Composition includes:**

- 1 linear canopy 113535XX7
- 5 units of T-3636C
- 5 drivers / Dimmable Triac

**FINISHES / ACABADOS**

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD

EURO €


3278

**Optional, not included:**

- Up to 5 acoustic panels 123636XX0X

## REVOLTA

## R40S.1S1D - WITH SURFACE CANOPY

**Composition includes:**

- 1 round canopy 113635XX1
- 1 unit of T-3635C
- 1 unit of T-3636C
- 2 drivers / Dimmable Triac

**FINISHES / ACABADOS**

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD


EURO €

1539

**Optional, not included:**

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

## R40R.1S1D - WITH RECESSED CANOPY

**Composition includes:**

- 1 recessed canopy 113635XX1R
- 1 unit of T-3635C
- 1 unit of T-3636C
- 2 remote drivers / Dimmable Triac

**FINISHES / ACABADOS**

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD

EURO €

1156


**Optional, not included:**

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

 Ø 55mm drill on dropped ceiling  
Orificio Ø 55mm en falso techo

**REVOLTA**

**R70S.3S - WITH SURFACE CANOPY**



- Composition includes:**
- 1 round canopy 113535XX4
  - 3 units of T-3635C
  - 3 drivers / Dimmable Triac

- FINISHES / ACABADOS**
- Canopy: 26 BLK - 71 WH  
 Body: 26 BLK  
 Head: 26 BLK - 61 S GLD


**EURO €**

1970

- Optional, not included:**
- Up to 3 acoustic panels 123635XX0X

**REVOLTA**

**R100S.5S - WITH SURFACE CANOPY**



- Composition includes:**
- 1 round canopy 113535XX5
  - 5 units of T-3635C
  - 5 drivers / Dimmable Triac

- FINISHES / ACABADOS**
- Canopy: 26 BLK - 71 WH  
 Body: 26 BLK  
 Head: 26 BLK - 61 S GLD


**EURO €**

3009

- Optional, not included:**
- Up to 5 acoustic panels 123635XX0X

**REVOLTA**

**M-3637**



- FEATURES / CARACTERÍSTICAS**
- \* LED 6,2W (Ang. 45° / >90 CRI / 350mA)
  - 100V - 240V / Sensor Dimmer / Universal plug
  - Optional 15° optic lens (see pag. 56)

- FINISHES / ACABADOS**
- Body: 26 BLK  
 Head: 26 BLK - 61 S GLD


**EURO €**

599

- M-3637-W (2700K Typ 725 lumens)  
 M-3637-M (3000K Typ 763 lumens)

**SISO**

**T-2995**



- FEATURES / CARACTERÍSTICAS**
- LED up to 3x20W
  - E27 / 120V - 240V
  - Dimmable when using dim. lamps


- FINISHES / ACABADOS**
- 44 CP  
 22 CH  
 71 WH

**EURO €**

1099  
 981  
 857

**SISO**

**T-2996**



- FEATURES / CARACTERÍSTICAS**
- LED up to 3x20W
  - E27 / 120V - 240V
  - Dimmable when using dim. lamps

- FINISHES / ACABADOS**
- 44 CP  
 71 WH


**EURO €**

1638  
 1265

Available until end of stock  
 Disponible hasta agotar existencias

**SMILE**

**A-3350**



- IP**
- 44
- FEATURES / CARACTERÍSTICAS**
- EI. Fluorescent 24W / T5 H0 / 230V
  - Non dimmable

- FINISHES / ACABADOS**
- 26 BLK  
 74 WH

**EURO €**

320  
 320

- Product includes:**
- 1 unit body A-3350
  - 1 front plate 113350XX0

Compatible with 600mm LED  
 T5 HF / 230V / Not included

Optional laser-cut signage / Minimum order 25 units  
 Señalización opcional con láser / Pedido mínimo 25 unidades

**EURO €**

37

SMILE		A-3351		
	IP	<b>FEATURES / CARACTERÍSTICAS</b>	<b>FINISHES / ACABADOS</b>	<b>EURO €</b>
	44	El. Fluorescent 39W / T5 HO / 100V - 277V Non dimmable	26 BLK 74 WH	362 362
		<b>Product includes:</b> <ul style="list-style-type: none"> <li>• 1 unit body A-3351</li> <li>• 1 front plate 113351XX0</li> </ul> Compatible with 900mm LED T5 HF / 230V / Not included		
		Optional laser-cut signage / Minimum order 25 units Señalización opcional con láser / Pedido mínimo 25 unidades		<b>EURO €</b> 37

SMILE		A-3352		
	IP	<b>FEATURES / CARACTERÍSTICAS</b>	<b>FINISHES / ACABADOS</b>	<b>EURO €</b>
	44	El. Fluorescent 54W / T5 HO / 100V - 277V Non dimmable	26 BLK 74 WH	395 395
		<b>Product includes:</b> <ul style="list-style-type: none"> <li>• 1 unit body A-3352</li> <li>• 1 front plate 113352XX0</li> </ul> Compatible with 1200mm LED T5 HF / 230V / Not included		
		Optional laser-cut signage / Minimum order 25 units Señalización opcional con láser / Pedido mínimo 25 unidades		<b>EURO €</b> 37



SMILE		A-3350A		
	IP	<b>FEATURES / CARACTERÍSTICAS</b>	<b>FINISHES / ACABADOS</b>	<b>EURO €</b>
	44	El. Fluorescent 24W / T5 HO / 230V Non dimmable	26 BLK 74 WH	362 362
		<b>Product includes:</b> <ul style="list-style-type: none"> <li>• 1 body A-3350</li> <li>• 1 front plate 113350XX0A</li> </ul> Compatible with 600mm LED T5 HF / 230V / Not included		

SMILE		A-3351A		
	IP	<b>FEATURES / CARACTERÍSTICAS</b>	<b>FINISHES / ACABADOS</b>	<b>EURO €</b>
	44	El. Fluorescent 39W / T5 HO / 100V - 277V Non dimmable	26 BLK 74 WH	423 423
		<b>Product includes:</b> <ul style="list-style-type: none"> <li>• 1 body A-3351</li> <li>• 1 front plate 113351XX0A</li> </ul> Compatible with 900mm LED T5 HF / 230V / Not included		

SMILE		A-3352A		
	IP	<b>FEATURES / CARACTERÍSTICAS</b>	<b>FINISHES / ACABADOS</b>	<b>EURO €</b>
	44	El. Fluorescent 54W / T5 HO / 100V - 277V Non dimmable	26 BLK 74 WH	483 483
		<b>Product includes:</b> <ul style="list-style-type: none"> <li>• 1 body A-3352</li> <li>• 1 front plate 113352XX0A</li> </ul> Compatible with 1200mm LED T5 HF / 230V / Not included		

## VOLTA

## A-3530



### FEATURES / CARACTERÍSTICAS

\* LED 6,2W (Ang. 45° / >90 CRI / 350mA)  
100V - 240V / Non Dimmable  
Optional 15° optic lens (see pag. 56)

### FINISHES / ACABADOS

Body: 26 BLK  
Head: 26 BLK - 61 S GLD

### EURO €

333

A-3530-W (2700K Typ 725 lumens)  
A-3530-M (3000K Typ 763 lumens)

### FINISHES / ACABADOS

71 WH

### EURO €

333

### 123530260 KIT A-3530


Cord & plug with on/off switch. 1400mm cable length.  
Cable y enchufe con interruptor. 1400mm de longitud.

### EURO €

36

## VOLTA

## A-3531



### FEATURES / CARACTERÍSTICAS

\* LED 6,2W (Ang. 45° / >90 CRI / 350mA)  
100V - 240V / Non Dimmable  
Optional 15° optic lens (see pag. 56)

### FINISHES / ACABADOS

Body: 26 BLK  
Head: 26 BLK - 61 S GLD

### EURO €

373

A-3530-W (2700K Typ 725 lumens)  
A-3530-M (3000K Typ 763 lumens)

### FINISHES / ACABADOS

71 WH

### EURO €

373

### 123530260 KIT A-3530


Cord & plug with on/off switch. 1400mm cable length.  
Cable y enchufe con interruptor. 1400mm de longitud.

### EURO €

36

## VOLTA

## T-3532S - WITH SURFACE CANOPY



### FEATURES / CARACTERÍSTICAS

\* LED 3x6,2W (Ang. 15° / >90 CRI / 350mA)  
230V / Driver included / Dimmable Triac

### FINISHES / ACABADOS

Canopy: 26 BLK  
Body: 26 BLK  
Head: 26 BLK  
61 S GLD

### EURO €

535


T-3532S-W (2700K Typ 3x725 lumens)  
T-3532S-M (3000K Typ 3x763 lumens)

### Product includes:

- 1 single canopy 113924XX0
- 1 unit of T-3532
- 1 driver 671000034 / Dimmable Triac

547

## T-3532R - WITH RECESSED CANOPY



### FEATURES / CARACTERÍSTICAS

\* LED 3x6,2W (Ang. 45° / >90 CRI / 350mA)  
230V / Remote Driver included  
Dimmable Triac

### FINISHES / ACABADOS

Canopy: 26 BLK  
Body: 26 BLK  
Head: 26 BLK  
61 S GLD

### EURO €

508


T-3532R-W (2700K Typ 3x725 lumens)  
T-3532R-M (3000K Typ 3x763 lumens)

### Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3532
- 1 remote driver 671000034 / Dimmable Triac

Ø 50mm drill on dropped ceiling  
Orificio Ø 50mm en falso techo

520



### 671000056 DALI DRIVER T-3535 / T-3536

UPON REQUEST / BAJO PEDIDO DRIVER DALI VOLTA T-3532 / T-3532  
(Min. 1x6,1W - Max. 3x6,1W) / 230V / DALI Dimmable

### EURO €


71

Ø 40mm drill on dropped ceiling  
Orificio Ø 40mm en falso techo



## VOLTA

## A-3533S / t-3533S - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (Ang. 15° / >90 CRI / 350mA)  
100V - 240V  
Driver included / Non Dimmable  
Additional 45° optic lens included

## FINISHES / ACABADOS

Canopy: 26 BLK  
Head: 26 BLK  
61 S GLD

EURO €

225  
239

t-3533S-W [2700K Typ 725 lumens]  
t-3533S-M [3000K Typ 763 lumens]

## FINISHES / ACABADOS

71 WH

EURO €


225

## Product includes:

- 1 single canopy 113740XX2
- 1 unit of A-3533 or t-3533
- 1 driver 671000038 / Non Dimmable

## VOLTA

## A-3533R / t-3533R - WITH RECESSED CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (Ang. 15° / >90 CRI / 350mA)  
230V  
Remote driver included / Dimmable Triac  
Additional 45° optic lens included

## FINISHES / ACABADOS

Canopy: 26 BLK  
Head: 26 BLK  
61 S GLD

EURO €

172  
186

t-3533R-W [2700K Typ 725 lumens]  
t-3533R-M [3000K Typ 763 lumens]

## FINISHES / ACABADOS


71 WH

EURO €

172


## Product includes:

- 1 unit of A-3533 or t-3533
- 1 remote driver 671000061 / Dimmable Triac

 Ø 55mm drill on dropped ceiling  
Orificio Ø 55mm en falso techo

## VOLTA

## T-3534S - WITH SURFACE CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (Ang. 45° / >90 CRI / 350mA)  
100V - 240V / Driver included / Non dimmable  
Optional 15° optic lens (see pag. 56)

## FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD

EURO €

303

T-3534S-W [2700K Typ 725 lumens]  
T-3534S-M [3000K Typ 763 lumens]

## FINISHES / ACABADOS

71 WH


EURO €

303

## Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3534C with cable
- 1 driver 671000038 / Non Dimmable

## T-3534R - WITH RECESSED CANOPY



## FEATURES / CARACTERÍSTICAS

\* LED 6,2W (Ang. 45° / >90 CRI / 350mA)  
230V  
Remote driver included / Dimmable Triac  
Optional 15° optic lens (see pag. 56)

## FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD

EURO €

291

T-3534R-W [2700K Typ 725 lumens]  
T-3534R-M [3000K Typ 763 lumens]

## FINISHES / ACABADOS


71 WH


EURO €

291

## Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3534C with cable
- 1 remote driver 671000061 / Dimmable Triac

 Ø 45mm drill on dropped ceiling  
Orificio Ø 45mm en falso techo

**VOLTA**
**L73S.3S - WITH SURFACE CANOPY**

**Composition includes:**

- 1 linear canopy 113415XX1
- 3 units of T-3534C with cable
- 1 driver 671000034 / Dimmable Triac

Up to 2 additional VOLTA can be added  
Posibilidad de añadir hasta 2 VOLTA

**FINISHES / ACABADOS**

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD

**EURO €**


888

**FINISHES / ACABADOS**

71 WH

**EURO €**

888

**VOLTA**
**L92S.4S - WITH SURFACE CANOPY**

**Composition includes:**

- 1 linear canopy 113415XX3
- 4 units of T-3534C with cable
- 2 drivers 671000034 / Dimmable Triac

Up to 3 additional VOLTA can be added  
Posibilidad de añadir hasta 3 VOLTA

**FINISHES / ACABADOS**

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD

**EURO €**


1142

**FINISHES / ACABADOS**

71 WH

**EURO €**

1142

**VOLTA**
**L165S.6S - WITH SURFACE CANOPY**

**Composition includes:**

- 1 linear canopy 113415XX7
- 6 units of T-3534C with cable
- 2 drivers 671000034 / Dimmable Triac

Up to 5 additional VOLTA can be added  
Posibilidad de añadir hasta 5 VOLTA

**FINISHES / ACABADOS**

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD

**EURO €**

1668




**FINISHES / ACABADO**

71 WH

**EURO €**

1668

## VOLTA



## T-3535S - WITH SURFACE CANOPY

## FEATURES / CARACTERÍSTICAS

\* LED 2x6,2W (Ang. 45° / >90 CRI / 350mA)  
230V / Driver included / Dimmable Triac  
Optional 15° optic lens (see pag. 56)

T-3535S-W (2700K Typ 2x725 lumens)  
T-3535S-M (3000K Typ 2x763 lumens)

## Product includes:

- 1 single canopy 113635XX0
- 1 unit of T-3535C

## FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD

EURO €

582

## FINISHES / ACABADOS

71 WH

EURO €

582

## T-3535R - WITH RECESSED CANOPY

## FEATURES / CARACTERÍSTICAS

\* LED 2x6,2W (Ang. 45° / >90 CRI / 350mA)  
230V / Remote Driver included  
Dimmable Triac  
Optional 15° optic lens (see pag. 56)

T-3535R-W (2700K Typ 2x725 lumens)  
T-3535R-M (3000K Typ 2x763 lumens)

## Product includes:

- 1 recessed canopy 113635XX0R
- 1 unit of T-3535C

## FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD

EURO €

582

## FINISHES / ACABADOS

71 WH

EURO €

582

Ø 50mm drill on dropped ceiling  
Orificio Ø 50mm en falso techo



## 671000056 DALI DRIVER T-3535 / T-3536

UPON REQUEST / BAJO PEDIDO DRIVER DALI VOLTA T-3535 / T-3536

(Min. 1x6,1W - Max. 3x6,1W) / 230V / DALI Dimmable




EURO €

79

Ø 40mm drill on dropped ceiling  
Orificio Ø 40mm en falso techo



## VOLTA



## T-3536S - WITH SURFACE CANOPY

## FEATURES / CARACTERÍSTICAS

\* LED 3x6,2W (Ang. 45° / >90 CRI / 350mA)  
230V / Driver included / Dimmable Triac  
Optional 15° optic lens (see pag. 56)

T-3536S-W (2700K Typ 3x725 lumens)  
T-3536S-M (3000K Typ 3x763 lumens)

## Product includes:

- 1 single canopy 113635XX0
- 1 unit of T-3536C

## FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD

EURO €

756

## FINISHES / ACABADOS

71 WH

EURO €

756

## T-3536R - WITH RECESSED CANOPY

## FEATURES / CARACTERÍSTICAS

\* LED 3x6,2W (Ang. 45° / >90 CRI / 350mA)  
230V / Remote Driver included  
Dimmable Triac  
Optional 15° optic lens (see pag. 56)

T-3536R-W (2700K Typ 3x725 lumens)  
T-3536R-M (3000K Typ 3x763 lumens)

## Product includes:

- 1 recessed canopy 113635XX0R
- 1 unit of T-3536C

## FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD

EURO €

756

## FINISHES / ACABADOS

71 WH

EURO €

756

Ø 50mm drill on dropped ceiling  
Orificio Ø 50mm en falso techo



## 671000056 DALI DRIVER T-3535 / T-3536

UPON REQUEST / BAJO PEDIDO DRIVER DALI VOLTA T-3535 / T-3536

(Min. 1x6,1W - Max. 3x6,1W) / 230V / DALI Dimmable



EURO €

79

Ø 40mm drill on dropped ceiling  
Orificio Ø 40mm en falso techo



## VOLTA



## L73S.2D - WITH SURFACE CANOPY

### Composition includes:

- 1 linear canopy 113535XX1
- 2 units of T-3535C
- 2 drivers / Dimmable Triac

### FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD

EURO €

1188

### FINISHES / ACABADOS

71 WH

EURO €

1188

## L73R.2D - WITH RECESSED CANOPY

### Composition includes:

- 1 recessed canopy 113535XX1R
- 2 units of T-3535C
- 2 remote drivers / Dimmable Triac

### FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD

EURO €


1188

### FINISHES / ACABADOS




71 WH

EURO €

1188

Ø 50mm drill on dropped ceiling  
Orificio Ø 50mm en falso techo 

## VOLTA



## L78S.1D1T - WITH SURFACE CANOPY

### Composition includes:

- 1 linear canopy 113535XX2
- 1 unit of T-3535C
- 1 unit of T-3536C
- 2 drivers / Dimmable Triac

### FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD

EURO €

1362

### FINISHES / ACABADOS

71 WH

EURO €

1362

## L78R.1D1T - WITH RECESSED CANOPY

### Composition includes:

- 1 recessed canopy 113535XX2R
- 1 unit of T-3535C
- 1 unit of T-3536C
- 2 remote drivers / Dimmable Triac

### FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD

EURO €


1362

### FINISHES / ACABADOS



71 WH

EURO €

1362

Ø 50mm drill on dropped ceiling  
Orificio Ø 50mm en falso techo 

## VOLTA



## L92S.2T - WITH SURFACE CANOPY

### Composition includes:

- 1 linear canopy 113535XX3
- 2 units of T-3536C
- 2 drivers / Dimmable Triac

### FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD

EURO €

1536

### FINISHES / ACABADOS

71 WH

EURO €

1536

## L92R.2T - WITH RECESSED CANOPY

### Composition includes:

- 1 recessed canopy 113535XX3R
- 2 units of T-3536C
- 2 remote drivers / Dimmable Triac

### FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD

EURO €


1536

### FINISHES / ACABADOS

71 WH


EURO €

1536

Ø 50mm drill on dropped ceiling  
Orificio Ø 50mm en falso techo 

## VOLTA

## L165S.3D - WITH SURFACE CANOPY

**Composition includes:**

- 1 linear canopy 113535XX7
- 3 units of T-3535C
- 3 drivers / Dimmable Triac

**FINISHES / ACABADOS**

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD

**EURO €**

1794

**FINISHES / ACABADOS**


71 WH

**EURO €**

1794

## VOLTA

## L165S.1T1D1T - WITH SURFACE CANOPY

**Composition includes:**

- 1 linear canopy 113535XX7
- 1 unit of T-3535C
- 2 units of T-3536C
- 3 drivers / Dimmable Triac

**FINISHES / ACABADOS**

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD

**EURO €**

2142

**FINISHES / ACABADOS**



71 WH

**EURO €**

2142

## VOLTA

## L165S.1D2T - WITH SURFACE CANOPY

**Composition includes:**

- 1 linear canopy 113535XX7
- 1 unit of T-3535C
- 2 units of T-3536C
- 3 drivers / Dimmable Triac

**FINISHES / ACABADOS**

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD

**EURO €**

2142

**FINISHES / ACABADOS**


71 WH

**EURO €**

2142

## VOLTA

## L165S.3D2T - WITH SURFACE CANOPY

**Composition includes:**

- 1 linear canopy 113535XX7
- 3 units of T-3535C
- 2 units of T-3536C
- 5 drivers / Dimmable Triac

**FINISHES / ACABADOS**

Canopy: 26 BLK - 71 WH  
Body: 26 BLK  
Head: 26 BLK - 61 S GLD

**EURO €**

3096

**FINISHES / ACABADOS**


71 WH

**EURO €**

3096

**VOLTA**

**R70S.3D - WITH SURFACE CANOPY**



- Composition includes:**
- 1 round canopy 113535XX4
  - 3 units of T-3535C
  - 3 drivers / Dimmable Triac

**FINISHES / ACABADOS**  
 Canopy: 26 BLK - 71 WH  
 Body: 26 BLK  
 Head: 26 BLK - 61 S GLD


**EURO €**  
 2168

**FINISHES / ACABADOS**  
 71 WH

**EURO €**  
 2168

**VOLTA**

**R100S.5D - WITH SURFACE CANOPY**



- Composition includes:**
- 1 round canopy 113535XX5
  - 5 units of T-3535C
  - 5 drivers / Dimmable Triac

**FINISHES / ACABADOS**  
 Canopy: 26 BLK - 71 WH  
 Body: 26 BLK  
 Head: 26 BLK - 61 S GLD


**EURO €**  
 3339

**FINISHES / ACABADOS**  
 71 WH

**EURO €**  
 3339

**VOLTA**

**M-3537**



- FEATURES / CARACTERÍSTICAS**
- \* LED 6,2W (Ang. 45° / >90 CRI 350mA) / 230V
  - On/Off Switch
  - Optional 15° optic lens (see pag. 56)

**FINISHES / ACABADOS**  
 Body: 26 BLK  
 Head: 26 BLK - 61 S GLD

**EURO €**  
 383


M-3537-W (2700K Typ 725 lumens)  
 M-3537-M (3000K Typ 763 lumens)

**FINISHES / ACABADOS**  
 71 WH

**EURO €**  
 383

**VOLTA**

**p-3538**



- FEATURES / CARACTERÍSTICAS**
- \* LED 6,2W (Ang. 45° / >90 CRI 350mA) / 230V
  - Push button dimmer on the head
  - Optional 15° optic lens (see pag. 56)

**FINISHES / ACABADOS**  
 Body: 26 BLK  
 Head: 26 BLK - 61 S GLD

**EURO €**  
 502

p-3538-W (2700K Typ 725 lumens)  
 p-3538-M (3000K Typ 763 lumens)













**FINISHES / ACABADOS**  
 71 WH


**EURO €**  
 502


## DRIVERS, REPLACEMENTS AND CANOPIES


<b>DRIVER</b> 	<b>671000023</b> <b>FEATURES / CARACTERÍSTICAS</b> DRIVER BUTTON 10W (1x10W) 350mA / 100V - 240V / Non dimmable	<b>EURO €</b> 32 Ø 50mm drill on dropped ceiling Orificio Ø 50mm en falso techo
<b>DRIVER</b> 	<b>671000028</b> <b>FEATURES / CARACTERÍSTICAS</b> DRIVER BUTTON 60W (Max. 5x10W) 24V / 100V - 240V / Dimmable Triac	<b>EURO €</b> 81 Ø 55mm drill on dropped ceiling Orificio Ø 55mm en falso techo
<b>DRIVER</b> 	<b>671000034</b> <b>FEATURES / CARACTERÍSTICAS</b> DRIVER CIRC / CUPOLINA / FLOW / MORSE / REVOLTA / VOLTA (Min. 2x6,1W - Max. 3x 6,1W) 350mA / 230V / Dimmable Triac	<b>EURO €</b> 47 Ø 55mm drill on dropped ceiling Orificio Ø 55mm en falso techo
<b>DRIVER</b> 	<b>671000038</b> <b>FEATURES / CARACTERÍSTICAS</b> DRIVER ALFI WALL / CIRC / CUPOLINA / FLOW / VOLTA (Max. 1x6,1W) 24V & 350mA / 100V - 240V / Non dimmable	<b>EURO €</b> 32 Ø 40mm drill on dropped ceiling Orificio Ø 40mm en falso techo
<b>DRIVER</b> 	<b>671000043</b> <b>FEATURES / CARACTERÍSTICAS</b> DRIVER CIRC / VOLTA / REVOLTA (2x6,1W) 350mA / 230V / Dimmable Triac	<b>EURO €</b> 47 Ø 80mm drill on dropped ceiling Orificio Ø 80mm en falso techo
<b>DRIVER 0-10V</b> 	<b>671000049</b> <b>FEATURES / CARACTERÍSTICAS</b> DRIVER ALFI SUSPENSION / ARO 45W / 24V / 100V - 277V Dimmable 0-10V	<b>EURO €</b> 69 Ø 85mm drill on dropped ceiling Orificio Ø 85mm en falso techo
<b>DRIVER DALI</b> 	<b>671000056</b> <b>FEATURES / CARACTERÍSTICAS</b> DRIVER DALI UPON REQUEST / BAJO PEDIDO ALFI WALL / CIRC (6,2W) / CUPOLINA / FLOW / MORSE / REVOLTA / VOLTA (Min. 1x6,1W - Max. 3x6,1W) 350mA / 230V / DALI Dimmable	<b>EURO €</b> 79 Ø 40mm drill on dropped ceiling Orificio Ø 40mm en falso techo
<b>DRIVER</b> 	<b>671000061</b> <b>FEATURES / CARACTERÍSTICAS</b> REMOTE DRIVER ALFI WALL / BUTTON T-3302 / CUPOLINA / FLOW / REVOLTA / VOLTA T-3534 (Max. 1x10W) 350mA / 230V / Dimmable Triac	<b>EURO €</b> 38 Ø 45mm drill on dropped ceiling Orificio Ø 45mm en falso techo
<b>DRIVER</b> 	<b>671000062</b> <b>FEATURES / CARACTERÍSTICAS</b> DRIVER ALFI SUSPENSION 20W / 24V / 230V / Dimmable Triac	<b>EURO €</b> 49 Ø 60mm drill on dropped ceiling Orificio Ø 60mm en falso techo
<b>DRIVER</b> 	<b>671000064</b> <b>FEATURES / CARACTERÍSTICAS</b> DRIVER GADA 22W 500mA / 230V / Non dimmable	<b>EURO €</b> 43 Ø 55mm drill on dropped ceiling Orificio Ø 55mm en falso techo





<b>DRIVER</b>		671000065		
	<b>FEATURES / CARACTERÍSTICAS</b>		<b>EURO €</b>	
	DRIVER GADA 31W / 700mA / 230V		43	
	Non Dimmable			Ø 55mm drill on dropped ceiling Orificio Ø 55mm en falso techo 
<b>BULB / BOMBILLA</b>		100008400		
	<b>FEATURES / CARACTERÍSTICAS</b>		<b>EURO €</b>	
	LED 8,5W (2700K) / Typ 806 lumens		20	
	E27 / 230V / Dimmable			
<b>BULB / BOMBILLA</b>		100013420		
	<b>FEATURES / CARACTERÍSTICAS</b>		<b>EURO €</b>	
	LED 13W (2700K) / Typ 1521 lumens		28	
	E27 / 230V / Dimmable			
<b>BULB / BOMBILLA</b>		100019420		
	<b>FEATURES / CARACTERÍSTICAS</b>		<b>EURO €</b>	
	LED 19W (2700K) / Typ 2452 lumens		24	
	E27 / 230V / Non dimmable			
<b>BULB / BOMBILLA</b>		100006400		
	<b>FEATURES / CARACTERÍSTICAS</b>		<b>EURO €</b>	
	LED 6W (2700K) / Typ 650 lumens		14	
	E14 / 230V / Non dimmable			
<b>OPTIC LENS 15° (VOLTA / REVOLTA)</b>		123530XX3		
	<b>FEATURES / CARACTERÍSTICAS</b>		<b>FINISHES / ACABADO</b>	<b>EURO €</b>
	Embedded optic lens 15° / Óptica encastrada 15°		26 BLK	27
	Compatible with Volta / Revolta		61 S GLD	28
			71 WH	27
<b>SPARE LED KIT (VOLTA / REVOLTA / FLOW / CUPOLINA)</b>		123530000		
	<b>FEATURES / CARACTERÍSTICAS</b>		<b>EURO €</b>	
	Spare LED 2700K (Volta / Revolta / Flow / Cupolina)		49	
	Recambio LED 2700K (Volta / Revolta / Flow / Cupolina)			
		123530001		
	<b>FEATURES / CARACTERÍSTICAS</b>		<b>EURO €</b>	
	Spare LED 3000K (Volta / Revolta / Flow)		49	
	Recambio LED 3000K (Volta / Revolta / Flow / Cupolina)			
<b>SPARE LED KIT (CIRC)</b>		123810000		
	<b>FEATURES / CARACTERÍSTICAS</b>		<b>EURO €</b>	
	Spare LED 2700K (Circ 6,2W)		49	
	Recambio LED 2700K (Circ 6,2W)			
<b>SPARE PARTS (IRIS COLLECTION)</b>		222718XX2		
	<b>FEATURES / CARACTERÍSTICAS</b>		<b>FINISHES / ACABADO</b>	<b>EURO €</b>
	Replacement shade (Iris P-2718)		26 BLK	174
	Recambio pantalla (Iris P-2718)		27 WH	154
			38 GR	148
		222719XX1		
	<b>FEATURES / CARACTERÍSTICAS</b>		<b>FINISHES / ACABADO</b>	<b>EURO €</b>
	Replacement shade (Iris M-2717 / P-2719)		26 BLK	134
	Recambio pantalla (Iris M-2717 / P-2719)		27 WH	147
			38 GR	140
		662007400		
	<b>FEATURES / CARACTERÍSTICAS</b>		<b>EURO €</b>	
	Replacement dimmer (Iris M-2717 / P-2718 / P-2719)		80	
	Recambio regulador (Iris M-2717 / P-2718 / P-2719)			


<b>SPARE LED KIT (ARO)</b>	<b>670000088</b>		
	<b>FEATURES / CARACTERÍSTICAS</b> Spare LED 2700K (Aro 10W) Recambio LED 2700K (Aro 10W)		<b>EURO €</b> 107


<b>SPARE PARTS (ICONS AND CLASSICS COLLECTIONS)</b>	<b>460978011</b>		
	<b>FEATURES / CARACTERÍSTICAS</b> Bulb protector (Halogen 118mm / R7s base) Protector bombilla (Halogen 118mm / R7s base)		<b>EURO €</b> 11


	<b>461124000</b>		
$\frac{\varnothing 48 \text{ mm}}{\varnothing 1.7/8"}$	<b>FEATURES / CARACTERÍSTICAS</b> Bottom glass diffuser (Icons P-1127 / P-1129) Difusor de cristal inferior (Icons P-1127 / P-1129)		<b>EURO €</b> 7


	<b>660005600</b>		
	<b>FEATURES / CARACTERÍSTICAS</b> Dimmer (Icons P-1127 / P-1129) (Classics P-1171 / P-1173 / P-1070 / P-1170 P-1122 / P-1062 / P-1225 / P-1235 / P-1062)		<b>EURO €</b> 36


	<b>660020006</b>		
	<b>FEATURES / CARACTERÍSTICAS</b> Transformer (Icons P-1127) Transformador (Icons P-1127)		<b>EURO €</b> 57

	<b>480997002</b>		
	<b>FEATURES / CARACTERÍSTICAS</b> Potenciometer (Icons P-1127) (Classics P-1171 / P-1173 / P-1070 P-1170 / P-2373 / P-1225 / P-1235)		<b>EURO €</b> 28

	<b>480524001</b>		
	<b>FEATURES / CARACTERÍSTICAS</b> Potenciometer (Icons P-1129) (Classics P-1122 / P-1062)		<b>EURO €</b> 17


<b>SINGLE CANOPY</b>	<b>113302XX1</b>		
$\frac{40 \text{ mm}}{1.5/8"}$ $\frac{\varnothing 120 \text{ mm}}{\varnothing 4.3/4"}$ 	<b>FEATURES / CARACTERÍSTICAS</b> Canopy for 1 single pendant T-3302 Sujeción para 1 suspensión individual T-3302 Compatible with T-3302C adding strain relief 441137XX0 + 510037524	<b>FINISHES / ACABADO</b> 26 BLK 71 WH 93 GR LM	<b>EURO €</b> 81 81 85

<b>SINGLE CANOPY</b>	<b>113416XX0</b>		
$\frac{\varnothing 116 \text{ mm}}{\varnothing 4.5/8"}$ $\frac{15 \text{ mm}}{5/8"}$ 	<b>FEATURES / CARACTERÍSTICAS</b> Canopy for 1 single pendant 1 ceiling holder included Sujeción para 1 suspensión individual 1 pinza de sujeción a techo incluida Compatible with items: T-2443C / T-3055C T-3415C / T-3555C	<b>FINISHES / ACABADO</b> 26 BLK 37 NI 71 WH	<b>EURO €</b> 64 72 64

<b>MULTIPOINT CANOPY</b>	<b>113415XX0</b>		
$\frac{150 \text{ mm}}{4.1/4"}$ $\frac{\varnothing 100 \text{ mm}}{\varnothing 3.7/8"}$ 	<b>FEATURES / CARACTERÍSTICAS</b> Canopy for 7 single pendants, 7 ceiling holders included Sujeción para 7 suspensiones individuales 7 pinzas de sujeción a techo incluidas Compatible with items: T-2443C / T-3055C / T-3302C / T-3415C T-3534C T-3555C / T-3734C / T-3735C / T-3736C / T-3744 / T-3934	<b>FINISHES / ACABADO</b> 26 BLK 71 WH	<b>EURO €</b> 314 314

## SURFACE SINGLE CANOPY

113534XX0



## FEATURES / CARACTERÍSTICAS

Canopy for 1 single pendant  
 Sujeción para 1 suspensión individual  
 Compatible with items: T-3534C / T-3734C  
 T-3735C / T-3736C / T-3744 / T-3934


## FINISHES / ACABADO

20 GLD M  
 26 BLK  
 59 TC  
 71 WH

EURO €  
 66  
 64  
 70  
 61

## RECESSED SINGLE CANOPY

113534XX2



## FEATURES / CARACTERÍSTICAS

Recessed canopy for 1 single pendant.  
 Sujeción empotrada para 1 suspensión.  
 Compatible with items: T-3302 / T-3305 / T-3306  
 T-3307 / T-3534 / T-3541 / T-3714 / T-3715 / T-3716  
 T-3734 / T-3735 / T-3736 / T-3744 / T-3915 / T-3934


## FINISHES / ACABADO

20 GLD M  
 26 BLK  
 59 TC  
 71 WH

EURO €  
 49  
 46  
 51  
 46

## LINEAR MULTIPLE CANOPY - L73S

113415XX1



## FEATURES / CARACTERÍSTICAS

Canopy for 5 single pendants  
 Sujeción para 5 suspensiones individuales  
 Compatible with items: T-2443C / T-3055C  
 T-3302C / T-3415C / T-3534C / T-3555C / T-3734C  
 T-3735C / T-3736C / T-3744 / T-3934


## FINISHES / ACABADO

26 BLK  
 71 WH

EURO €  
 220  
 220

## LINEAR MULTIPLE CANOPY - L92S

113415XX3



## FEATURES / CARACTERÍSTICAS

Canopy for 7 single pendants  
 Sujeción para 7 suspensiones individuales  
 Compatible with items: T-2443C / T-3055C  
 T-3302C / T-3415C / T-3534C / T-3555C / T-3734C  
 T-3735C / T-3736C / T-3744 / T-3934


## FINISHES / ACABADO

26 BLK  
 71 WH

EURO €  
 220  
 220

## LINEAR MULTIPLE CANOPY - L165S

113415XX7



## FEATURES / CARACTERÍSTICAS

Canopy for 11 single pendants  
 Sujeción para 11 suspensiones individuales  
 Compatible with items: T-2443C / T-3055C  
 T-3302C / T-3415C / T-3534C / T-3555C / T-3734C  
 T-3735C / T-3736C / T-3744 / T-3934

## FINISHES / ACABADO

26 BLK  
 71 WH

EURO €  
 332  
 332

## ROUND MULTIPLE CANOPY - R40S

113415XX6



## FEATURES / CARACTERÍSTICAS

Canopy for 3 single pendants  
 Sujeción para 3 suspensiones individuales  
 Compatible with items: T-2443C / T-3055C  
 T-3302C / T-3415C / T-3534C / T-3555C / T-3734C  
 T-3735C / T-3736C / T-3744 / T-3934


## FINISHES / ACABADO

26 BLK  
 71 WH

EURO €  
 585  
 585

## ROUND MULTIPLE CANOPY - R100S

113415XX4



## FEATURES / CARACTERÍSTICAS

Canopy for 7 single pendants  
 Sujeción para 7 suspensiones individuales  
 Compatible with items: T-2443C / T-3055C  
 T-3302C / T-3415C / T-3534C / T-3555C / T-3734C  
 T-3735C / T-3736C / T-3744 / T-3934


## FINISHES / ACABADO

26 BLK  
 71 WH

EURO €  
 824  
 824

## ROUND MULTIPLE CANOPY - R70S

113415XX5



## FEATURES / CARACTERÍSTICAS

Canopy for 17 single pendants  
 Sujeción para 17 suspensiones individuales  
 Compatible with items: T-2443C / T-3055C  
 T-3302C / T-3415C / T-3534C / T-3555C / T-3734C  
 T-3735C / T-3736C / T-3744 / T-3934

## FINISHES / ACABADO


26 BLK  
 71 WH

EURO €  
 1067  
 1067

<b>SURFACE SINGLE CANOPY (VOLTA / REVOLTA)</b>		<b>113635XX0</b>			
	1 REVOLTA T-3635S 	<b>FEATURES / CARACTERÍSTICAS</b> Canopy for 1 volta / revolta pendant Sujeción para 1 suspensión volta / revolta Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C	<b>FINISHES / ACABADO</b> 26 BLK 71 WH	<b>EURO €</b> 105 105	
<b>RECESSED SINGLE CANOPY (VOLTA / REVOLTA)</b>		<b>113635XX0R</b>			
	1 REVOLTA T-3635R 	<b>FEATURES / CARACTERÍSTICAS</b> Recessed canopy for 1 pendant Sujeción empotrada para 1 suspensión Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C	<b>FINISHES / ACABADO</b> 26 BLK 71 WH	<b>EURO €</b> 105 105	
<b>SURFACE LINEAR CANOPY - L73S (VOLTA / REVOLTA)</b>		<b>113535XX1</b>			
	2 VOLTA T-3535 	<b>FEATURES / CARACTERÍSTICAS</b> Canopy for 2 volta / revolta pendants Sujeción para 2 suspensiones volta / revolta Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C	<b>FINISHES / ACABADO</b> 26 BLK 71 WH	<b>EURO €</b> 234 234	
<b>RECESSED LINEAR CANOPY - L73R (VOLTA / REVOLTA)</b>		<b>113535XX1R</b>			
	2 VOLTA T-3535 	<b>FEATURES / CARACTERÍSTICAS</b> Recessed canopy for 2 pendants Sujeción empotrada para 2 suspensiones Compatible with items: T-3535 / T-3536 T-3635 / T-3636	<b>FINISHES / ACABADO</b> 26 BLK 71 WH	<b>EURO €</b> 234 234	
<b>SURFACE LINEAR CANOPY - L78S (VOLTA / REVOLTA)</b>		<b>113535XX2</b>			
	1 VOLTA T-3535 1 VOLTA T-3536 	<b>FEATURES / CARACTERÍSTICAS</b> Canopy for 2 volta / revolta pendants Sujeción para 2 suspensiones volta / revolta Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C	<b>FINISHES / ACABADO</b> 26 BLK 71 WH	<b>EURO €</b> 234 234	
<b>RECESSED LINEAR CANOPY - L78R (VOLTA / REVOLTA)</b>		<b>113535XX2R</b>			
	1 VOLTA T-3535 1 VOLTA T-3536 	<b>FEATURES / CARACTERÍSTICAS</b> Recessed canopy for 2 pendants Sujeción empotrada para 2 suspensiones Compatible with items: T-3535 / T-3536 T-3635 / T-3636	<b>FINISHES / ACABADO</b> 26 BLK 71 WH	<b>EURO €</b> 234 234	
<b>SURFACE LINEAR CANOPY - L92S (VOLTA / REVOLTA)</b>		<b>113535XX3</b>			
	1 REVOLTA T-3635 1 REVOLTA T-3636 	<b>FEATURES / CARACTERÍSTICAS</b> Canopy for 2 volta / revolta pendants Sujeción para 2 suspensiones volta / revolta Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C	<b>FINISHES / ACABADO</b> 26 BLK 71 WH	<b>EURO €</b> 234 234	
<b>RECESSED LINEAR CANOPY - L92R (VOLTA / REVOLTA)</b>		<b>113535XX3R</b>			
	1 REVOLTA T-3635 1 REVOLTA T-3636 	<b>FEATURES / CARACTERÍSTICAS</b> Recessed canopy for 2 pendants Sujeción empotrada para 2 suspensiones Compatible with items: T-3535 / T-3536 T-3635 / T-3636	<b>FINISHES / ACABADO</b> 26 BLK 71 WH	<b>EURO €</b> 234 234	

## SURFACE LINEAR CANOPY - L165S (VOLTA / REVOLTA)

113535XX7



## FEATURES / CARACTERÍSTICAS

Canopy for 5 volta / revolta pendants  
 Sujeción para 5 suspensiones volta / revolta  
 Compatible with items:  
 T-3535C / T-3536C / T-3635C / T-3636C

## FINISHES / ACABADO


26 BLK  
 71 WH

## EURO €

363  
 336

## ROUND MULTIPLE CANOPY - R70S (VOLTA / REVOLTA)

113535XX4



## FEATURES / CARACTERÍSTICAS

Canopy for 3 volta / revolta pendants  
 Sujeción para 3 suspensiones volta / revolta  
 Compatible with items:  
 T-3535C / T-3536C / T-3635C / T-3636C

## FINISHES / ACABADO


26 BLK  
 71 WH

## EURO €

737  
 737

## ROUND MULTIPLE CANOPY - R100S (VOLTA / REVOLTA)

113535XX5



## FEATURES / CARACTERÍSTICAS

Canopy for 5 volta / revolta pendants  
 Sujeción para 5 suspensiones volta / revolta  
 Compatible with items:  
 T-3535C / T-3536C / T-3635C / T-3636C

## FINISHES / ACABADO


26 BLK  
 71 WH

## EURO €

954  
 954

## ROUND MULTIPLE CANOPY - R40S (VOLTA / REVOLTA)

113635XX1



## FEATURES / CARACTERÍSTICAS

Canopy for 2 volta / revolta pendants  
 Sujeción para 2 suspensiones volta / revolta  
 Compatible with items:  
 T-3535C / T-3536C / T-3635C / T-3636C

## FINISHES / ACABADO


26 BLK  
 71 WH

## EURO €

545  
 545

## RECESSED MULTIPLE CANOPY - R40R (VOLTA / REVOLTA)

113635XX1R



## FEATURES / CARACTERÍSTICAS

Recessed canopy for 2 pendants  
 Sujeción empotrada para 2 suspensiones  
 Compatible with items:  
 T-3535C / T-3536C / T-3635C / T-3636C

## FINISHES / ACABADO


26 BLK  
 71 WH

## EURO €

162  
 162

## SURFACE CANOPY - R30 (CIRC)

113815263



## FEATURES / CARACTERÍSTICAS

Canopy for 6 single pendants,  
 Sujeción para 6 suspensiones  
 Compatible with items: t-3810 / t-3810A / t-3811  
 t-3811A / T-3815 / T-3815A T-3816 / T-3816A  
 t-3820 / t-3821 / A-3830 / R30 compositions

## FINISHES / ACABADO


26 BLK

## EURO €

198

## RECESSED CANOPY - R12 (CIRC)

113820263



## FEATURES / CARACTERÍSTICAS

Canopy for remote driver, 6 pendants max  
 Sujeción para driver empotrada,  
 6 suspensiones máximo  
 Compatible with items: t-3810 / t-3811 T-3815 /  
 T-3816 / t-3820 / t-3821 R12 compositions

## FINISHES / ACABADO


26 BLK

## EURO €

88

## SINGLE CANOPY

113924XX0



## FEATURES / CARACTERÍSTICAS

Surface canopy for 1 pendant  
 Sujeción de superficie para 1 suspensión  
 Compatible with items: T-3305S / T-3306S  
 T-3307S / T-3714S / T-3715S / T-3716S / T-3915S  
 T-3924S / T-3925S

## FINISHES / ACABADO

26 BLK  
 74 WH

## EURO €

73  
 73

## GENERAL TERMS OF SALE

## GENERAL TERMS OF SALE

### 1. Terms

Sales of our products are subject to present general conditions, which prevail over any other terms of purchase, unless there is a formal written agreement between Estiluz and the client.

### 2. Prices

All prices published in the Price List are recommended retail prices without taxes. Bulbs are not included with the exception of the items marked accordingly.

### 3. Project Registration

For the protection of our distributors and agents, all projects should be registered with our Estiluz office.

### 4. Discounts

The standard discount granted to a distributor does not apply in case of projects registered by another distributor or agent. The distributor shall contact Estiluz to inquire about these projects and ask for pricing.

### 5. Terms

All past due invoices are subject to interest penalties at current legal rates.

### 6. Transportation

Freight will be paid by the client. Freight due (FCA Barcelona or EXW). Estiluz will not be responsible for any damages that may occur in transit.

Exceptions: Consult specific policies per country.

### 7. Order confirmations and cancellations

Orders must be sent in writing, either by mail, email or fax. Estiluz is not responsible for any mistakes on orders that have not been received in writing.

Orders will not be cancelled unless we receive notice from customer prior to shipment. Special orders cannot be cancelled.

### 8. Claims and returns

Estiluz will only accept claims filed within 15 days after shipment of merchandise. Returned merchandise will not be accepted unless prior arrangements have been made with our Customer Service department. Handling and Repair fees will apply if the product is not received in perfect conditions and its original packaging. All returns due to reasons for which Estiluz cannot be held responsible, will be charged 20% restocking fee and original freight.

### 9. Delivery

If the merchandise received is not in good condition or does not match the packing slip, it should be noted on the packing slip prior to signature. Estiluz should also receive a written notice in the following three days.

### 10. Property Rights

The merchandise will remain property of Estiluz until it is paid in full. Estiluz reserves the right to retrieve all unpaid goods without advanced notice. If that is case, the client is responsible for all costs involved with the return and assume the risk of damage.

### 11. Warranty

Our manufactured products (except for bulbs) are guaranteed against any manufacturing defects for two years from date of delivery. The warranty is limited to replacement of defective material and does not include any labor, expenses or damages contingent or incidental thereto.

This warranty does not apply to products damaged due to accident, tampering, misuse or abuse.

### 12. Modifications

Estiluz reserves the right to modify and/or discontinue any products illustrated in this Price list.

### 13. Disputes

Any disputes are subject to arbitration in equity in Barcelona, according to the Spanish law.

## CONDICIONES GENERALES DE VENTA

### 1. Validez

Las ventas de nuestros productos están sujetas a las presentes condiciones generales, que prevalecen sobre cualquier otra condición de compra, a menos que exista un pacto formal escrito entre Estiluz y su cliente.

### 2. Precios

Los precios estipulados en esta tarifa son precios recomendados de venta al público y no incluyen impuestos. Bombillas no incluidas excepto en los productos en los que así se indica.

### 3. Registro de proyectos

Para garantizar la protección del trabajo realizado por distribuidores y agentes, todos los proyectos deben ser registrados en nuestras oficinas.

### 4. Descuentos comerciales

El descuento habitual de un distribuidor puede no aplicarse en caso de proyectos registrados por otro distribuidor o representante. El distribuidor deberá ponerse en contacto con Estiluz para obtener el precio neto de estos proyectos.

### 5. Pagos

A menos que exista un pacto expreso entre Estiluz y el Cliente, todas las facturas deben ser pagadas como máximo 30 días después de la fecha de factura. La penalización por retraso en el pago aplicará la tasa de interés legal en vigor.

### 6. Transporte

Todos los pedidos serán a portes debidos (FCA Barcelona o EXW Factory). Estiluz no se hace responsable de las incidencias que pudieran ocurrir durante el transporte.

Excepciones: Consultar políticas específicas para cada país.

### 7. Formalización de pedidos y anulación

Los pedidos deben ser formalizados por escrito, ya sea por correo, email o fax. Estiluz no se hará responsable de ningún error producido en pedidos que no hayan sido formalizados por escrito.

No consideramos anulado ningún pedido sin previo aviso por parte de nuestros clientes, anterior a la salida de la mercancía de nuestras instalaciones. Los pedidos de productos especiales y modificaciones no se pueden anular.

### 8. Reclamaciones i devoluciones

Se atenderán las que se reciban por escrito, en un período de 15 días des de la entrega de la mercancía. No se admiten devoluciones sin nuestra autorización previa, reservándonos el derecho de rechazarlas si nos llegan a portes debidos y con embalaje insuficiente. Si el producto no está en perfectas condiciones, nos reservamos el derecho de facturar los gastos de gestión y reparación. Aquellas devoluciones sin causa justificada o por motivos ajenos a Estiluz recibirán un recargo de gestión del 20%. Portes a cargo del cliente.

### 9. Entrega

Si la mercancía no llega al cliente en buenas condiciones o no coincide con el albarán de entrega, se deberá hacer constar en el albarán del transportista en el momento de la firma e informar a Estiluz en el transcurso máximo de los tres días siguientes mediante correo, email o fax.

### 10. Cláusula de reserva de la propiedad

La mercancía permanece propiedad de Estiluz hasta que haya sido pagada íntegramente. La negativa de pago puede derivar en la solicitud de devolución de los bienes por parte de la empresa. En este caso, el comprador asumirá todos los costes y riesgos derivados del envío.

### 11. Garantía

Nuestros productos (excepto bombillas) tienen una garantía de dos años desde la fecha de entrega al cliente, ante cualquier defecto o error de funcionamiento, siempre y cuando se les haya dado un uso apropiado y se hayan respetado las condiciones de utilización marcadas en el aparato.

### 12. Modificaciones

Estiluz se reserva el derecho de modificar y/o anular los modelos de la presente tarifa.

### 13. Disputas

En caso de litigio, ambas partes se someterán a la jurisdicción de los tribunales de Barcelona.

## ALLGEMEINE GESCHÄFTSBEDINGUNGEN

### 1. Gültigkeit

Der Verkauf unserer Produkte unterliegt den allgemeinen Geschäftsbedingungen, die vor allen anderen Kaufbedingungen gültig sind, es sei denn, es existiert eine gesonderte schriftliche Vereinbarung zwischen Estiluz und seinem Kunden.

### 2. Preise

Die in der Preistabelle aufgeführten Preise verstehen sich als Preisempfehlungen und enthalten keine Steuern. In den Produkten sind, wenn nicht anders angegeben, keine Glühlampen enthalten.

### 3. Projektanmeldung

Zur Gewährleistung des Schutzes der von Vertriebspartnern und Vertragshändlern erbrachten Leistungen müssen alle Projekte, in unseren Büros registriert werden.

### 4. Händlerrabatte

Der übliche Rabatt für Vertriebspartner kann dann nicht zur Anwendung kommen, wenn ein Projekt, von einem anderen Vertriebspartner oder Repräsentanten registriert worden ist. Der Vertriebspartner muss sich mit Estiluz in Verbindung zu setzen, um die Produkte zum Nettopreis zu erhalten.

### 5. Zahlungen

Sofern keine anders lautende, ausdrückliche Vereinbarung zwischen Estiluz und dem Kunden besteht, müssen alle Rechnungen spätestens bis 30 Tage nach Rechnungsdatum bezahlt sein. Bei Zahlungsverzug kommt ein Strafzins in Höhe des gesetzlichen Zinssatzes zur Anwendung.

### 6. Lieferung und Versand

Alle Bestellungen sind unfrei (FCA Barcelona oder ab Werk). Estiluz übernimmt für etwaige Vorkommnisse während des Transports keinerlei Verantwortung. Ausnahmen: Länderspezifische Richtlinien werden berücksichtigt.

### 7. Bestellformen und Stornierung

Bestellungen müssen in schriftlicher Form vorgenommen werden, sei es per Brief, E-Mail oder Fax. Estiluz haftet nicht für Fehler und Irrtümer bei Bestellungen, die nicht in schriftlicher Form vorgenommen wurden.

Stornierungen werden von uns nicht anerkannt, wenn diese uns kundenseits nicht mitgeteilt wurden, bevor die Ware unsere Einrichtungen verlassen hat. Sonderbestellungen und Bestelländerungen können nicht storniert werden.

### 8. Reklamationen und Rücksendungen

Es können nur schriftliche Reklamationen berücksichtigt werden, die innerhalb eines Zeitraums von 15 Tagen ab Warenübergabe bei uns eingegangen sind. Bitte nehmen Sie keine Rücksendungen ohne unsere vorherige Genehmigung vor, da wir uns das Recht zur Verweigerung der Annahme vorbehalten, falls die Ware unfrei und unzureichend verpackt an uns versandt wird. Sollte sich das zurückgesandte Produkt nicht mehr in einwandfreiem Zustand befinden, behalten wir uns das Recht vor, Verwaltungs- und Reparaturkosten in Rechnung zu stellen. Für Rücksendungen ohne gerechtfertigten Grund oder andere nicht einsichtige Motive erhebt Estiluz eine zusätzliche Verwaltungsgebühr von 20 %. Die Versandkosten gehen zu Lasten des Kunden.

### 9. Lieferung

Sollte die Ware den Kunden nicht in einwandfreiem Zustand erreichen oder nicht mit dem Lieferschein übereinstimmen, ist der Lieferant bei der Unterzeichnung sofort darauf hinzuweisen und Estiluz innerhalb von maximal drei Tagen per Brief, E-Mail oder Fax davon in Kenntnis zu setzen.

### 10. Eigentumsvorbehalt

Die gelieferte Ware bleibt bis zur Bezahlung sämtlicher Forderungen Eigentum von Estiluz. Die Zahlungsverweigerung kann zur Folge haben, dass das Unternehmen die Rückgabe seines Eigentums fordert. In diesem Fall trägt der Käufer alle Kosten und Risiken, die aus dem Versand entstehen.

### 11. Garantie

Unsere Produkte (ausgenommen Glühlampen) besitzen einen Garantieanspruch von zwei Jahren ab Datum der Übergabe an den Kunden. Diese Garantie gilt für jede Art von Defekt oder Fehlfunktion, jedoch nur unter Voraussetzung der sachgerechten Nutzung und der Einhaltung der auf dem Gerät angegebenen Nutzungsbedingungen.

### 12. Preisänderungen

Estiluz behält sich das Recht vor, die aktuellen Preismodelle zu verändern oder außer Kraft zu setzen.

### 13. Streitfälle

Im Streitfall unterliegen beide Parteien der Gerichtsbarkeit der zuständigen Gerichte von Barcelona.

## CONDITIONS GÉNÉRALES DE VENTE

### 1. Validité

Nos ventes sont soumises aux présentes conditions générales qui prévalent sur toute autre condition d'achat, sauf accord formel écrit entre Estiluz et son client.

### 2. Prix

Les prix indiqués dans nos tarifs sont des prix public conseillés et s'entendent hors taxes (H.T.). Les ampoules ne sont pas fournies excepté avec certains produits pour lesquels cette information est clairement spécifiée.

### 3. Enregistrement des projets

Afin de garantir la protection du travail effectué par les distributeurs et les agents, tous les projets doivent être enregistrés auprès de notre société.

### 4. Rabais commerciaux

Le rabais habituellement accordé à un distributeur peut ne pas s'appliquer en cas de projets enregistré par un autre distributeur ou représentant. Le distributeur devra contacter Estiluz pour obtenir le prix net de ces projets.

### 5. Paiements

Sauf convention expresse entre Estiluz et le Client, toutes les factures doivent être réglées dans un délai de 30 jours suivant leur date d'émission.

En cas de retard de paiement, des pénalités de retard seront appliquées au taux d'intérêt légal en vigueur.

### 6. Transport

Toutes les commandes seront envoyées en port dû (FCA Barcelona ou EXW Factory). Estiluz ne sera pas tenu pour responsable des pertes ou dommages survenus pendant le transport. Exceptions : consultez les politiques spécifiques par pays.

### 7. Passation et annulation de commande

Toute commande doit être passée par écrit, par courrier postal, courriel ou fax. Nous déclinons toute responsabilité en cas d'erreur dans une commande qui n'aurait pas été validée par écrit. Nous ne pourrions considérer une commande comme définitivement annulée qu'après notification de l'annulation par le client, cette notification devant nous être parvenue avant le départ des marchandises de nos entrepôts. Les commandes de produits spéciaux et modifiés ne peuvent pas être annulées.

### 8. Réclamations et retours de marchandises

Les réclamations doivent nous parvenir par écrit au plus tard dans les 15 jours qui suivent la date de livraison.

Aucun retour de marchandises ne sera accepté sans notre autorisation préalable. Nous nous réservons le droit de refuser tout retour qui nous parviendrait en port dû ou insuffisamment emballé. Si le produit n'est pas en parfait état, des frais de manutention et de réparation pourront être facturés.

Tout retour non justifié ou non imputable à Estiluz donnera lieu à une majoration pour manutention de 20 %. Les frais de port seront à la charge du client.

### 9. Livraison

Si la marchandise livrée est en mauvais état ou ne correspond pas au bordereau de livraison, le client devra constater les anomalies détectées sur le bordereau de livraison du transporteur au moment de sa signature et en informer Estiluz dans un délai maximum de trois jours par courrier postal, courriel ou fax.

### 10. Clause de réserve de propriété

Les marchandises restent la propriété d'Estiluz jusqu'au paiement intégral du prix. Le défaut de paiement pourra entraîner la revendication des biens. Dans ce cas, l'acheteur devra renvoyer les marchandises à ses frais et risques.

### 11. Garantie

Nos produits (excepté les ampoules) sont garantis deux ans à compter de la date de livraison au client contre tout défaut de fonctionnement ou tout dysfonctionnement, hormis en cas de mauvaise utilisation ou de non-respect des conditions d'utilisation spécifiées sur l'appareil.

### 12. Modifications

Estiluz se réserve le droit de modifier et/ou d'annuler à tout moment les modèles commercialisés.

### 13. Litiges

En cas de litige, les deux parties se soumettent à la juridiction des tribunaux de Barcelone.



ESTILUZ (Headquarters) / Carretera d'Ogassa s/n  
E- 17860 St Joan de les Abadesses (Girona) Spain  
T +34 972 720 125 / F +34 972 720 796  
estiluz@estiluz.com

[www.estiluz.com](http://www.estiluz.com)

**estiluz<sup>®</sup>**